


XTREME POWER CONVERSION
CRITICAL POWER SOLUTIONS

USA PRICEBOOK for CTrends' Customers



Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Prices are subject to change without prior notice
This pricebook supersedes all previous pricing publications
Subject to Xtreme Power Terms and Conditions

USA Pricebook ° , 2017

Lithium Ion UPS 350VA
120VAC or 208/230VAC

Protect digital signage from spikes, surges and power outages with an ultra-slim J60 UPS

- › Slim and light weight (1.25" and 3.4 lbs) the J60/J60i mounts easily behind flat panel displays
- › Lithium ion batteries provide protection for up to 8 years and 2000 discharges
- › Power outage protection – up to 20 minutes with 60W load
- › Primary applications: digital signage, kiosks, gaming machines, and Point of Sale (POS)
- › Easily mounts to wall or ceiling in any orientation
- › Optional detachable offset, right angle 5–15P power cord provides flexible installation (only J60)
- › Up to 40°C (104°F) operation
- › 3 years electronics, 3 years battery warranty (USA and Canada)



J60 Series UPS 120V 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
J60-350	90000465	350VA/200W 120V UPS	\$329.00	IEC C13 to 5-15P, 3 ft	(3) 5–15R	3.4 lbs	6.9" x 8.5" x 1.25"

J60i Series UPS 208/230VAC 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
J60-350i	90000472	350VA/200W 208/230V UPS	\$329.00	IEC C14 inlet	(2) IEC C13	3.4 lbs	6.9" x 8.5" x 1.25"

J60 Input Cords

Model	Description	List Price	Unit Weight
XPC-515P-18RA	18in line cord with offset, right angle 5–15P for use with J60-350	\$20.00	0.5 lbs
XPC-515P-6RA	6ft line cord with offset, right angle 5–15P for use with J60-350	\$20.00	0.5 lbs

J60 Service Plan (USA and Canada)

Model	Part Number	Description	List Price
J60SP5	90000467	Extended 5 Year Factory Warranty for J60-350/ J60i 350	\$150.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

Please submit an RFQ or Call CTrends @ 1-877-475-9050 for the latest pricing



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Standby 800VA
120VAC or 230VAC

Compact power outage protection in compact tower form factor

- › Available in North American 120VAC or International 230VAC
- › Cold start function
- › Compact design
- › Removable input cord on 120VAC model
- › \$25,000 Load Protection Policy
- › UL, FCC, RoHS, S-Mark, EN62040-1, EN62040-2
- › 2 years electronics, 2 years battery warranty (USA and Canada)



C60 Series UPS 120V 60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions (W x D x H)
C60-800	90000230	800VA/480W 120V Tower UPS	\$159.00	IEC C13 to 5-15P, 6 ft	(2) 5-15R	7.5 lbs	4.0" x 13.0" x 5.7" 5.8" x 13.0" x 9.0"

C60i Series UPS 230V 50Hz

Model	Part Number	Description	List Price	Input	Output Receptacles	Unit Weight	Unit & Shipping Dimensions (W x D x H)
C60i-800	90000231	800VA/480W 230V Tower UPS	\$149.00	IEC C14 inlet	(2) IEC C13	7.5 lbs	4.0" x 13.0" x 5.7" 5.8" x 13.0" x 9.0"

Power Distribution Unit

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD-1215HVPL	90000051	120V Value Power Distribution Unit	\$38.00	5-15P, 6ft	(12) 5-15R	1.4 lbs	19.0" x 3.5" x 1.75"
XPS-1215HVP	90000052	120V Value Power Distribution Unit	\$41.50	5-15P, 6ft	(12) 5-15R	1.4 lbs	19.0" x 3.5" x 1.75"

C60 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery age and site conditions.

Load	C60-800	C60i-800
80VA	26	26
100VA	19	19
150VA	11	11
200VA	8	8
300VA	4.6	4.6
400VA	3.2	3.2
500VA	2.5	2.5
600VA	2.0	2.0
700VA	1.6	1.6
800VA	1.5	1.5

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Standby 400VA-800VA
120VAC

Safeguard your computer from power outages with dependable power protection

- › Microprocessor control provides high reliability
- › Auto restart
- › Cold start function
- › Discharge, overcharge, short circuit, and thermal protection
- › Floor, desk, or wall mount
- › Programmable power management outlets
- › \$25,000 Load Protection Policy
- › RoHS compliant
- › 2 years electronics, 2 years battery warranty (USA and Canada)



XST Series UPS 120V 60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions (W x D x H)
XST-400	90000414	400VA/240W 120V UPS	\$81.00	5-15P, 5ft	(4) 5-15R	4.8 lbs	3.2 x 8.9 x 8.1 in 4.7 x 11.4 x 11.0 in
XST-600	90000416	600VA/360W 120V UPS	\$96.00	5-15P, 5ft	(4) 5-15R	5.9 lbs	3.2 x 8.9 x 8.1 in 4.7 x 11.4 x 11.0 in
XST-800	90000418	800VA/480W 120V UPS	\$121.00	5-15P, 5ft	(4) 5-15R	6.8 lbs	3.2 x 8.9 x 8.1 in 4.7 x 11.4 x 11.0 in

XST Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-USB	90000281	External Web/SNMP Card	\$289.00	1 lb	7.25" x 6" x 2.5"

XST Service Plan (USA and Canada)

Model	Part Number	Description	List Price
XST5SP	90000240	Extended 5 Year Factory Warranty for XST-400/600/800	\$69.00

Standard 2 Year Factory Warranty – 2 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

XST Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Load	XST-400	XST-600	XST-800
50VA	76	117	149
100VA	30	46	59
150VA	16	28	36
200VA	10	18	24
300VA	5	11	13
400VA	< 1	4	8
500VA	N/A	2.5	2.8
600VA	N/A	< 1	1.5
700VA	N/A	N/A	< 1
800VA	N/A	N/A	< 1

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Pure Sine Wave Line Interactive 800VA-3000VA
120VAC

Advanced line interactive power protection for servers and network equipment

- › 0.9 output power factor
- › 99% efficient operation
- › Extended battery packs available for 1500VA-3000VA models
- › Auto restart
- › Programmable receptacle group
- › \$50,000 load protection policy
- › UL, cUL, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P80 Series 120V 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions* (W x D x H)
P80-800	90000900	800VA/720W 120V UPS, 2U	\$569.00	5-15P, 6ft	(8) 5-15R	29.3 lbs	17.2 x 15.1 x 3.5 in
P80-1100	90000901	1100VA/990W 120V UPS, 2U	\$619.00	5-15P, 6ft	(8) 5-15R	28.7 lbs	17.2 x 15.1 x 3.5 in
P80-1500	90000902	1500VA/1350W 120V UPS, 2U	\$819.00	5-15P, 6ft	(8) 5-15R	44.7 lbs	17.2 x 18.9 x 3.5 in
P80-2200	90000903	2000VA/2000W 120V UPS, 2U	\$1,279.00	5-20P, 6ft	(8) 5-15/20R	63.7 lbs	17.2 x 23.6 x 3.5 in
P80-3000	90000904	3000VA/2700W 120V UPS, 2U	\$1,399.00	L5-30P, 6ft	(8) 5-15/20R	61.9 lbs	17.2 x 23.6 x 3.5 in

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P80 Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-BP48	90000916	48V Battery Pack for P80-1500, 2U	\$859.00	74.6 lbs	17.2" x 18.9" x 3.5" 27.6" x 22.2" x 9.45"
P90-BP72	90000917	72V Battery Pack for P80-2200, P80-3000, 2U	\$1,079.00	104.4 lbs	17.2" x 23.6" x 3.5" 29.9" x 23.6" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P80 Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
P90-RAIL	90000909	4-Post Rail Kit	\$110.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$89.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"
P90-WMB	90000250	Wall Mount Bracket	\$69.00	5 lbs	4.0" x 24.0" x 4.0"
P90-FRMB	90000377	Front Rackmount Bracket for P80-800, P80-1100, P80-1500	\$29.00	1 lb	0.9" x 2.0" x 3.4"

P80 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-1015LV	90000090	Bypass 15A/120VAC for use with P80-800, P80-1100, P80-1500	\$259.00	5-15P, 12ft	(6) 5-15R front (4) 5-15R back	5-15R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1020LV	90000091	Bypass 20A/120VAC for use with P80-2200	\$299.00	5-20P, 12ft	(6) 5-20R front (4) 5-20R back	5-20R	3.4 lbs	19" x 3.5" x 1.75"

Power Distribution Units

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD-1415HV	90000041	120V Basic Power Distribution Unit	\$71.50	5-15P, 12ft	(14) 5-15R	3.5 lbs	19.0" x 3.5" x 1.75"
XPD-1420HV	90000045	120V Basic Power Distribution Unit	\$105.00	L5-20P, 12ft or 5-20P with adapter	(14) 5-20R	4.8 lbs	19.0" x 3.5" x 1.75"

P80 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
P905SP15	90000522	Extended 5 Year Factory Warranty for P80-800, P80-1100, P80-1500 UPS	\$350.00
P905SP23	90000523	Extended 5 Year Factory Warranty for P80-2200, P80-3000 UPS	\$575.00
P90L5SPBP	90000524	Extended 5 Year Factory Warranty for P90-BP48, P90-BP72	\$300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

P80 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	Internal batteries				(1) Battery pack				(2) Battery packs			
	25%	50%	75%	100%	25%	50%	75%	100%	25%	50%	75%	100%
P80-800	35	14	7	4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
P80-1100	28	11	5	3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
P80-1500	39	16	8	5	133	55	33	22	256	106	63	44
P80-2200	39	16	8	5	135	56	33	23	260	108	64	44
P80-3000	32	13	7	4	125	54	32	22	236	102	30	42

Maximum of two battery packs per P80-1500, P80-2200, or P80-3000.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Pure Sine Wave Line Interactive 3000VA-5000VA
208VAC or 208/120VAC

Up to 4.5kW of efficient reliable power in just 2U rack space

- › 0.9 output power factor
- › 99% efficient operation
- › Extended battery packs available
- › Auto restart
- › Programmable receptacle group
- › \$50,000 load protection policy
- › CE, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P80g Series 208/230V 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions* (W x D x H)
P80g-3000	90000954	3000VA/2700W 208/230V UPS, 2U	\$1,299.00	IEC C19 to L6-20P, 8ft	(1) IEC C19 + (8) IEC C13	61.9 lbs	17.2" x 23.6" x 3.5"
P80g-5000	90000430	5000VA/4500W 208/230V UPS, 2U	\$1,999.00	L6-30P, 6ft	(1) L6-30R + (4) IEC C19	78.5 lbs	17.2" x 23.6" x 3.5"
P80g-5KB1	Bundle	5000VA/4500W 208/230V UPS Bundle	\$2,176.00	L6-30P, 6ft	(2) L6-20R + (2) L6-30R + (1) IEC C19	90 lbs	17.2" x 23.6" x 3.5"
P80g-5KB2	Bundle	5000VA/4500W 208/230V UPS and XPD24C13V Bundle	\$2,248.00	L6-30P, 6ft	(4) IEC C19 + (24) IEC C13	97 lbs	N/A

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P80g Series 208/120V 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions* (W x D x H)
P80g-3KTB	Bundle	3000VA/2700W UPS and XPD-AT15A Bundle, 208/120V Output**	\$1,888.00	IEC C19 to L6-20P, 8ft	(1) IEC C19 + (6) IEC C13 (208V) + (16) 5-15R (120V)	110 lbs	N/A
P80g-5KTB	Bundle	5000VA/4500W UPS and XPD-IT60A Bundle 208/120V Output**	\$3,765.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (12) 5-15/20R	224 lbs	17.2" x 23.6" x 7"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel. **Includes P90-RAIL in bundle.

P80g Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-BP72	90000917	72V Battery Pack for P80g-3000 2U	\$1,079.00	104.4 lbs	17.2" x 23.6" x 3.5" 29.9" x 23.6" x 9.45
P80-BP72X	90000432	72V High Rate Battery Pack for P80g-5000 2U	\$1,299.00	110.4 lbs	17.2" x 23.6" x 3.5" 29.9" x 23.6" x 9.45

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P80g Output Cords

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-ZLC20-620R	Locking IEC C20 to 6-15/20R for use with P80g-3000, P80g-5000	1ft	208/230V	\$59.00	3 lbs
XPC-ZLC20-L620R	Locking IEC C20 to L6-20R for use with P80g-3000, P80g-5000	1ft	208/230V	\$59.00	3 lbs
XPC-ZLC20-L630R	Locking IEC C20 to L6-30R for use with P80g-3000, P80g-5000	1ft	208/230V	\$59.00	3 lbs
XPC-C14-615R	IEC C14 to 6-15R for use with P80g-3000	1ft	208/230V	\$45.00	3 lbs

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P80g Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
P90-RAIL	90000909	4-Post Rail Kit	\$110.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$89.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"

P80g Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM1020HV2	90000094	Bypass 16A Capacity for use with P80g-3000 (Includes (2) IEC C20 C19 Cord Kit)	\$299.00	IEC C20 inlet	(2) IEC C19 + (4) IEC C13 front (4) IEC C13 back	IEC C20	3.5 lbs	19.3" x 3.5" x 1.75"

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD24C13V	90000374	30A 208V Basic Power Distribution Unit	\$249.00	L6-30P, 6ft	(24) C13	12.0 lbs	66.0" x 1.75" x 1.75"
XPD31	90000251	30A 240V 2U 19" Basic Power Distribution Unit	\$389.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Power Distribution Unit	\$389.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Power Distribution Unit	\$299.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C13	6.0 lbs	19.0" x 2.4" x 3.5"
XPDU-IEC	90000053	230V Basic Power Distribution Unit	\$139.00	IEC C20 inlet	(10) IEC C13 + (2) IEC C19	2.6 lbs	19.0" x 3.5" x 1.75"

P80g Isolation Transformers

Model	Part Number	Description	List Price	Weight	Unit Dimensions (W x D x H)
XPD-IT60A	90000407	6kVA PDU with Isolation Transformer 208V to 120V (or 240V to 120V), 3ft L6-30P Input Cord, (1) L6-30R and (12) 5-15/20R Receptacles, Max. 120V load is 4kW.	\$1,369.00	137 lbs	19.0" x 18.0" x 3.5"
XPD-AT15A	90000199	1500W PDU with Transformer 208V to 120V for use with P80g-3000, Detachable 3ft IEC C14 Input Cord, (16) 5-15R Receptacles	\$479.00	19.7 lbs	19.0" x 10.5" x 3.5"
XAT-400	90000269	400VA Step Down Transformer 208V to 120V for use with P80g-3000, 2ft IEC C14 Input Cord, 2ft 5-15 Output Cord	\$399.00	8 lbs	7.0" x 6.8" x 5.9"

P80g Service Plans (USA and Canada)

Model	Part Number	Description	List Price
P905SP23	90000523	Extended 5 Year Factory Warranty for P80g-3000 UPS	\$575.00
P805SP5	90000431	Extended 5 Year Factory Warranty for P80g-5000 UPS	\$750.00
P90L5SPBP	90000524	Extended 5 Year Factory Warranty for P90-BP72, P80-BP72X	\$300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P80g Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	Internal batteries				(1) Battery pack				(2) Battery packs			
	25%	50%	75%	100%	25%	50%	75%	100%	25%	50%	75%	100%
Percentage load:	25%	50%	75%	100%	25%	50%	75%	100%	25%	50%	75%	100%
P80g-3000	28	12	7	4	108	49	30	21	205	91	57	40
P80g-5000	19	9	5	2.5	71	33	21	15	131	60	38	27

Maximum of two battery packs per P80g-3000 or P80g-5000.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Value Series Pure Sine Wave Line Interactive UPS
120V



Value series line interactive power protection for servers and network equipment

- › Pure Sinewave Output
- › Automatic voltage regulation (AVR)
- › Auto restart
- › Tower, feet and front mount rack brackets included
- › USB communications ensure plug and play communications between servers, desktops, and the UPS
- › 465 Joule surge suppression rating
- › \$50,000 Load Protection Policy
- › UL, cUL, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)

V80 Series UPS 120V 60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions (W x D x H)
V80-700	90000580	700VA/420W 120V UPS, 2U	\$299.00	Detachable 5ft, 5-15P to C13	(8) 5-15R	24 lbs	17.2" x 16.1" x 3.5" 21.5" x 22" x 9"
V80-1000	90000581	1000VA/600W 120V UPS, 2U	\$419.00	Detachable 5ft, 5-15P to C13	(8) 5-15R	27.3 lbs	17.2" x 16.1" x 3.5" 21.5" x 22" x 9"
V80-1500	90000582	1500VA/900W 120V UPS, 2U	\$489.00	Detachable 5ft, 5-15P to C13	(8) 5-15R	29.3 lbs	17.2" x 16.1" x 3.5" 21.5" x 22" x 9"
V80-2000	90000583	2000VA/1200W 120V UPS, 2U	\$569.00	Detachable 5ft, 5-20P to C19	(8) 5-15R	31.3 lbs	17.2" x 16.1" x 3.5" 21.5" x 22" x 9"

V80 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
V805SP71	90000409	Extended 5 Year Factory Warranty for V80-700, V80-1000	\$210.00
V805SP52	90000410	Extended 5 Year Factory Warranty for V80-1500, V80-2000	\$339.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

V80 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Percentage load:	25%	50%	75%	100%
V80-700	31	13	7	4
V80-1000	33	15	10	5.5
V80-1500	31	13	7	4
V80-2000	15	6	4	2

V80 Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$89.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-1015LV	90000090	Bypass 15A/120VAC for use with v80-700, V80-1000, V80-1500	\$259.00	5-15P, 12ft	(6) 5-15R front (4) 5-15R back	5-15R	3.4 lbs	19" x 3.5" x 1.75"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Line Interactive 500VA-2000VA
120VAC

Equip your office with reliable battery backup and protection from power outages

- › Smart LCD display
- › Auto restart
- › Automatic voltage regulation (AVR)
- › Primary applications: home or small office, desktop computers, routers, and switches
- › USB communications ensure plug and play communications between servers, desktops, and the UPS
- › 465 Joule surge suppression rating
- › \$25,000 Load Protection Policy
- › UL and cUL listed, RoHS compliant
- › 3 years electronics, 3 years battery warranty (USA and Canada)



S70 Series UPS 120V 60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions (W x D x H)
S70-500	90000550	500VA/300W 120V Tower UPS	\$129.00	5-15P, 5ft	(4) 5-15R	9.5 lbs	3.9" x 11.3" x 5.6" 5.5" x 13.1" x 8.7"
S70-700	90000551	700VA/420W 120V Tower UPS	\$169.00	Detachable 5-15P, 5ft	(4) 5-15R	10.8 lbs	3.9" x 11.3" x 5.6" 5.5" x 13.1" x 8.7"
S70-1000	90000552	1000VA/600W 120V Tower UPS	\$229.00	5-15P, 5ft	(6) 5-15R	17.6 lbs	5.7" x 13.8" x 6.3" 7.5" x 17.4" x 10.0"
S70-1500	90000616	1500VA/900W 120V Tower UPS	\$329.00	5-15P, 4ft	(8) 5-15R	24.5 lbs	5.7" x 15.6" x 8.1" 9.1" x 19.3" x 11.3"
S70-2000	90000554	2000VA/1200W 120V Tower UPS	\$399.00	5-20P, 4ft	(8) 5-15R	25.4 lbs	5.7" x 15.6" x 8.1" 9.1" x 19.3" x 11.3"

S70 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-USB	90000281	External Web/SNMP Card	\$289.00	1 lb	7.25" x 6" x 2.5"

S70 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
S705SP57	90000248	Extended 5 Year Factory Warranty for S70-500, S70-700	\$89.00
S705SP152	90000249	Extended 5 Year Factory Warranty for S70-1000, S70-1500, S70-2000	\$129.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

S70 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Load	S70-500	S70-700	S70-1000	S70-1500	S70-2000
50VA	114	149	195	289	318
150VA	25	37	65	85	93
250VA	12	20	32	47	51
350VA	3	12	19	32	35
500VA	< 1	2	12	20	22
700VA	N/A	< 1	2.5	12	13
1000VA	N/A	N/A	1.5	4	5
1500VA	N/A	N/A	N/A	< 1	1.7
2000VA	N/A	N/A	N/A	N/A	< 1

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

**Online 1000VA-3000VA
120VAC**

Slim 2U form factor UPS delivers clean and continuous power to IT equipment during power disturbances

- › 0.9 output power factor
- › 98% efficient operation
- › Extended battery packs available for 1500VA-3000VA models
- › Multiple communications capability
- › Auto restart
- › Programmable outlets
- › \$50,000 load protection policy
- › UL, cUL, RoHS, CE
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P90 Series 120V 50/60Hz

P90 1000VA-3000VA have 1A chargers with internal batteries.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-1000	90000905	1000VA/900W 120V UPS with 1A Charger, 2U	\$949.00	5-15P, 6ft	(8) 5-15R	29.1 lbs	17.2" x 15.1" x 3.5" 23.6" x 19.7" x 9.45"
P90-1500	90000922	1500VA/1350W 120V UPS with 1A Charger, 2U	\$1,249.00	5-15P, 6ft	(8) 5-15R	41.7 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90-2000	90000907	2000VA/1800W 120V UPS with 1A Charger, 2U	\$1,599.00	5-20P, 6ft	(8) 5-15/20R	45.4 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90-3000	90000908	3000VA/2700W 120V UPS with 1A Charger, 2U	\$2,179.00	L5-30P, 6ft	(1) L5-30R + (4) 5-15/20R	65.7 lbs	17.2" x 25.8" x 3.5" 23.6" x 31.5" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90 Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-BP36	90000915	36V Battery Pack for P90-1500, 2U	\$729.00	58.1 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90-BP36E	90000923	36V 4 String Extended Battery Pack for P90-1500, 2U	\$1049.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"
P90-BP48	90000916	48V Battery Pack for P90-2000, 2U	\$859.00	74.6 lbs	17.2" x 18.9" x 3.5" 27.6" x 22.2" x 9.45"
P90-BP72	90000917	72V Battery Pack for P90-3000, P90g-3000, 2U	\$1,079.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90 Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
P90-RAIL	90000909	4-Post Rail Kit	\$110.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$89.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"
P90-WMB	90000250	Wall Mount Bracket	\$69.00	5 lbs	4.0" x 24.0" x 4.0"
P90-FRMB	90000377	Front Rackmount Bracket for P90-1000, P90-1500, P90-2000	\$29.00	1 lb	0.9" x 2.0" x 3.4"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P90 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-1015LV	90000090	Bypass 15A/120VAC for use with P90-1000, P90-1500	\$259.00	5-15P, 12ft	(6) 5-15R front (4) 5-15R back	5-15R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1020LV	90000091	Bypass 20A/120VAC for use with P90-2000	\$299.00	5-20P, 12ft	(6) 5-20R front (4) 5-20R back	5-20R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1030LV	90000093	Bypass 30A/120VAC for use with P90-3000	\$469.00	L5-30P, 6ft	(6) 5-20R front (4) 5-20R back	L5-30R	3.4 lbs	19" x 3.5" x 1.75"

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD-1415HV	90000041	120V Basic Power Distribution Unit	\$71.50	5-15P, 12ft	(14) 5-15R	3.5 lbs	19.0" x 3.5" x 1.75"
XPD-1420HV	90000045	120V Basic Power Distribution Unit	\$105.00	L5-20P, 12ft or 5-20P with adapter	(14) 5-20R	4.8 lbs	19.0" x 3.5" x 1.75"

P90 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
P905SP15	90000522	Extended 5 Year Factory Warranty for P90-1000, P90-1500 UPS	\$350.00
P905SP23	90000523	Extended 5 Year Factory Warranty for P90-2000, P90-3000 UPS	\$575.00
P90L5SPBP	90000524	Extended 5 Year Factory Warranty for P90-BP36, P90-BP36E, P90-BP48, P90-BP72	\$300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

P90 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	P90-1000		P90-1500 (BP36)		P90-1500 (BP36E)		P90-2000 (BP48)		P90-3000 (BP72)	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
Internal batteries	8	3	8	3	8	3	8	3	8	3
(1) Battery pack	N/A	N/A	34	20	66	38	34	20	34	20
(2) Battery packs	N/A	N/A	66	38	N/A	N/A	66	38	66	38

Maximum of two battery packs per P90-1500, P90-2000, or P90-3000. P90-BP36E is limited to one.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Online 1500VA,3000VA
208/230VAC

Slim 2U form factor UPS delivers clean and continuous power to IT equipment during power disturbances

- › 0.9 output power factor
- › 98% efficient operation
- › Extended battery packs available for extended runtimes
- › Multiple communications capability
- › Auto restart
- › Programmable outlets
- › \$50,000 load protection policy
- › UL, cUL, RoHS, CE
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P90g Series 208/230V 50/60Hz

P90g models have a 1A charger with internal batteries.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90g-1500	90000318	1500VA/1350W 208/230V UPS with 1A Charger, 2U	\$1,199.00	IEC C13 to L6-20P, 8ft	(8) IEC C13	41.7 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90g-1500TB	Bundle	1500VA/1350W UPS Bundle 208/120V Output	\$1,678.00	IEC C13 to L6-20P, 8ft	(7) IEC C13 (208V) (16) 5-15R (120V)	61.4 lbs	N/A
P90g-3000	90000920	3000VA/2700W 208/230V UPS with 1A Charger, 2U	\$1,899.00	IEC C19 to L6-20P, 8ft	(1) IEC C19 + (6) IEC C13	65.7 lbs	17.2" x 25.8" x 3.5" 23.6" x 29.9" x 9.45"
P90g-3KTB	90000387	3000VA/2700W UPS Bundle 208/120V Output**	\$2,488.00	IEC C19 to L6-20P, 8ft	(1) IEC C19 + (5) IEC C13 (208V) (16) 5-15R (120V)	90.4 lbs	N/A

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel. **Includes P90-RAIL in bundle.

P90g Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-BP36	90000915	36V Battery Pack for P90g-1500, 2U	\$729.00	58.1 lbs	17.2" x 18.9" x 3.5" 27.6" x 22.2" x 9.45"
P90-BP36E	90000923	36V 4 String Extended Battery Pack for P90g-1500, 2U	\$1049.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"
P90-BP72	90000917	72V Battery Pack for P90g-3000, 2U	\$1,079.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel. **Includes P90-RAIL in bundle.

P90g Output Cords

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-C14-615R	IEC C14 to 6-15R for use with P90g-1500, P90g-3000	1ft	208/230V	\$45.00	3 lbs
XPC-ZLC20-620R	Locking IEC C20 to 6-15/20R for use with P80g-3000, P80g-5000	1ft	208/230V	\$59.00	3 lbs
XPC-ZLC20-L620R	Locking IEC C20 to L6-20R for use with P80g-3000, P80g-5000	1ft	208/230V	\$59.00	3 lbs
XPC-ZLC20-L630R	Locking IEC C20 to L6-30R for use with P80g-3000, P80g-5000	1ft	208/230V	\$59.00	3 lbs

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P90g Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
P90-RAIL	90000909	4-Post Rail Kit	\$110.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$89.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"
P90-WMB	90000250	Wall Mount Bracket	\$69.00	5 lbs	4.0" x 24.0" x 4.0"
P90-FRMB	90000377	Front Rackmount Bracket for P90g-1500	\$29.00	1 lb	0.9" x 2.0" x 3.4"

P90g Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM1020HV2	90000094	Bypass 16A capacity for use with P90g-3000 (includes (2) IEC C20 C19 cord kit)	\$299.00	IEC C20 inlet	(2) IEC C19 + (4) IEC C13 front (4) IEC C13 back	IEC C20	3.5 lbs	19.3" x 3.5" x 1.75"

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPDU-IEC	90000053	230V Basic Power Distribution Unit for use with P90g-3000	\$139.00	IEC C20 inlet	(10) IEC C13 + (2) IEC C19	2.6 lbs	19.0" x 3.5" x 1.75"
XPD-AT15A	90000199	1500W Transformer PDU with meter 208V to 120V for use with P90g-1500, P90g-3000	\$479.00	Detachable IEC C14, 3ft	(16) 5–15R	19.7 lbs	19.0" x 10.5" x 3.5"
XAT-400	90000269	400VA Step Down Transformer 208V to 120V for use with P90g-1500, P90g-3000	\$399.00	208V IEC C14, 2ft	120V 5–15R, 2ft	8 lbs	7.0" x 6.8" x 5.9"

P90g Service Plans (USA and Canada)

Model	Part Number	Description	List Price
P905SP15	90000522	Extended 5 Year Factory Warranty for P90g-1500 UPS	\$350.00
P905SP23	90000523	Extended 5 Year Factory Warranty for P90g-3000 UPS	\$575.00
P90L5SPBP	90000524	Extended 5 Year Factory Warranty for P90-BP36, P90-BP36E, P90-BP72	\$300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

P90g Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	P90g-1500 (BP36)		P90g-1500 (BP36E)		P90g-3000 (BP72)	
Percentage load:	50%	100%	50%	100%	50%	100%
Internal batteries	8	3	8	3	8	3
(1) Battery pack	34	20	66	38	34	20
(2) Battery packs	66	38	N/A	N/A	66	38

Maximum of two battery packs per P90g-1500 or P90g-3000. P90-BP36E is limited to one.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Online 1500VA-3000VA
120VAC or 208/230VAC

Online UPS with a powerful charger for extended battery runtimes

- › 98% efficient operation
- › Smart LCD display
- › Multiple communications capability
- › Programmable outlets
- › \$50,000 load protection policy
- › UL, cUL, CE, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P90L Series UPS 120V 50/60Hz

P90L Series have 6A chargers with no internal batteries.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90L-1500	90000912	1250VA/1125W 120V UPS Module with 246W 36V Nominal Charger, 2U	\$1,125.00	5-15P, 6ft	(8) 5-15R	33 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90L-2000	90000913	1700VA/1530W 120V UPS Module with 328W 48V Nominal Charger, 2U	\$1,325.00	5-20P, 6ft	(8) 5-15/20R	35 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90L-3000	90000914	2500VA/2250W 120V UPS Module with 493W 72V Nominal Charger, 2U	\$1,980.00	L5-30P, 6ft	(1) L5-30R + (4) 5-15/20R	47 lbs	17.2" x 25.8" x 3.5" 23.6" x 31.5" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90Lg Series UPS 208/230V 50/60Hz

P90Lg-3000 has a 6A charger with no internal batteries.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90Lg-3000	90000921	3000VA/2400W 208/230V UPS Module with 6A Charger, 2U	\$1,849.00	IEC C19 to L6-20P, 8ft	(1) IEC C19 + (6) IEC C13	47 lbs	17.2" x 25.8" x 3.5" 23.6" x 29.9" x 9.45"
P90Lg-3KTB	90000388	3000VA/2700W UPS Bundle 208/120V Output**	\$2,438.00	IEC C19 to L6-20P, 8ft	(1) IEC C19 + (5) IEC C13 (208V) (16) 5-15R (120V)	71.7 lbs	N/A

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel. **Includes P90-RAIL in bundle

P90L Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions* (W x D x H)
P90-BP36	90000915	36V Battery Pack for P90L-1500, 2U	\$729.00	58.1 lbs	17.2" x 18.9" x 3.5" 22.2" x 27.6" x 9.45"
P90-BP36E	90000923	36V 4 String Extended Battery Pack for P90L-1500, 2U	\$1049.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"
P90-BP48	90000916	48V Battery Pack for P90L-2000, 2U	\$859.00	74.6 lbs	17.2" x 18.9" x 3.5" 27.6" x 22.2" x 9.45"
P90-BP72	90000917	72V Battery Pack for P90L-3000, P90Lg-3000, 2U	\$1,079.00	104.4 lbs	17.2" x 23.6" x 3.5" 23.6" x 29.9" x 9.45"

*Rack depth is front bracket to unit panel. Add 1" for depth including front bezel.

P90Lg Output Cords

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-ZLC20-620R	Locking IEC C20 to 6-15/20R for use with P90Lg-3000	1ft	208/230V	\$59.00	3 lbs
XPC-ZLC20-L620R	Locking IEC C20 to L6-20R for use with P90Lg-3000	1ft	208/230V	\$59.00	3 lbs
XPC-ZLC20-L630R	Locking IEC C20 to L6-30R for use with P90Lg-3000	1ft	208/230V	\$59.00	3 lbs
XPC-C14-615R	IEC C14 to 6-15R for use with P90Lg-3000	1ft	208/230V	\$45.00	3 lbs

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P90L Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
P90-RAIL	90000909	4-Post Rail Kit	\$110.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2PRAIL	90000406	2-Post Rail Kit; Rated for 125 lbs	\$89.00	5 lbs	4.0" x 20.0" x 3.0"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"

P90L Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-1015LV	90000090	Bypass 15A/120VAC for use with P90L-1500	\$259.00	5-15P, 12ft	(10) 5-15R	5-15R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1020LV	90000091	Bypass 20A/120VAC for use with P90L-2000	\$299.00	5-20P, 12ft	(10) 5-20R	5-20R	3.4 lbs	19" x 3.5" x 1.75"
XBDM-1030LV	90000093	Bypass 30A/120VAC for use with P90L-3000, P90Lg-3000	\$469.00	L5-30P, 6ft	(10) 5-20R	L5-30R	3.4 lbs	19" x 3.5" x 1.75"
XBDM1020HV2	90000094	Bypass 16A Capacity for use with P90Lg-3000 (Includes (2) IEC C20 C19 Cord Kit)	\$299.00	IEC C20 inlet	(2) IEC C19 + (8) IEC C13	IEC C20	3.5 lbs	19.3" x 3.5" x 1.75"

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD-1415HV	90000041	120V Basic Power Distribution Unit	\$71.50	5-15P, 12ft	(14) 5-15R	3.5 lbs	19.0" x 3.5" x 1.75"
XPD-1420HV	90000045	120V Basic Power Distribution Unit	\$105.00	L5-20P, 12ft or 5-20P with adapter	(14) 5-20R	4.8 lbs	19.0" x 3.5" x 1.75"
XPDU-IEC	90000053	230V Basic Power Distribution Unit for use with P90Lg-3000	\$139.00	IEC C20 inlet	(10) IEC C13 + (2) IEC C19	2.6 lbs	19.0" x 3.5" x 1.75"
XPD-AT15A	90000199	1500W Transformer PDU with Meter 208V to 120V for use with P90Lg-3000	\$479.00	Detachable IEC C14, 3ft	(16) 5-15R	19.7 lbs	19.0" x 10.5" x 3.5"
XAT-400	90000269	400VA Step Down Transformer 208V to 120V for use with P90Lg-3000	\$399.00	208V IEC C14, 2ft	120V 5-15R, 2ft	8 lbs	7.0" x 6.8" x 5.9"

P90L Service Plans (USA and Canada)

Model	Part Number	Description	List Price
P90L5SP15	90000527	Extended 5 Year Factory Warranty for P90L-1500 UPS	\$275.00
P90L5SP23	90000528	Extended 5 Year Factory Warranty for P90L-2000, P90L-3000, P90Lg-3000 UPS	\$400.00
P90L5SPBP	90000524	Extended 5 Year Factory Warranty for P90-BP36, P90-BP36E, P90-BP48, P90-BP72	\$300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P90L Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	P90L-1500 (BP36)		P90L-1500 (BP36E)		P90L-2000 (BP48)		P90L(g)-3000 (BP72)	
	50%	100%	50%	100%	50%	100%	50%	100%
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%
(1) Battery pack	26	15	63	36	25	14	23	13
(2) Battery packs	63	36	140	90	61	35	58	33
(3) Battery packs	105	61	228	136	102	60	97	56
(4) Battery packs	140	90	322	193	137	88	130	84
(5) Battery packs	183	115	N/A	N/A	179	113	169	107
(6) Battery packs	228	136	N/A	N/A	223	133	211	128
(7) Battery packs	274	164	N/A	N/A	268	160	254	152
(8) Battery packs	322	193	N/A	N/A	314	188	298	178

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Online 700VA-3000VA
120VAC or 230VAC

Unity power factor tower UPS provides high density online power protection for unstable power conditions

- › Online double conversion technology
- › Unity output power factor
- › Multiple communications capability
- › Controlled load segment
- › Adjustable charging current from 2A to 8A
- › Extended battery packs available
- › UL, cUL, CE, RoHS, FCC B, FCC A (varies by model)
- › 3 years electronics, 3 years battery warranty (USA and Canada)



T91 Series 120V 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
T91-700	90000480	700VA/700W 120V Tower UPS	\$599.00	5-15P, 6 ft	(6) 5-15R	25.7 lbs	5.6" x 15.6" x 8.6"
T91-1000	90000481	1000VA/1000W 120V Tower UPS	\$719.00	5-15P, 6 ft	(6) 5-15R	30 lbs	5.6" x 15.6" x 8.6"
T91-1500	90000482	1500VA/1450W 120V Tower UPS	\$939.00	5-15P, 6 ft	(6) 5-15R	34.3 lbs	5.6" x 15.6" x 8.6"
T91-2000	90000483	2000VA/1930W 120V Tower UPS	\$1,229.00	L5-20P/ 5-20P, 8 ft*	(1) L5-20R + (8) 5-20R	63 lbs	7.4" x 16.5" x 12.5"
T91-3000	90000484	3000VA/2880W 120V Tower UPS	\$1,599.00	L5-30P, 8 ft	(1) L5-30R + (8) 5-20R	66 lbs	7.4" x 16.5" x 12.5"

*Includes L5-20P to 5-20P adaptor

T91i Series 230V 50/60Hz

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
T91i-2000	90000485	2000VA/2000W 230V Tower UPS	\$1,219.00	C19 to L6-20P, 6 ft	(1) C19 + (8) C13	62 lbs	7.4" x 16.5" x 12.5"

T91 Extended Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
T91-BP36A	90000486	Extended Battery Pack for T91-1000, T91-1500	\$529.00	44 lbs	5.6" x 15.6" x 8.6"
T91-BP72A	90000487	Extended Battery Pack for T91-2000, T91i-2000, T91-3000	\$959.00	82 lbs	7.4" x 16.5" x 12.5"

T91 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XAT-400	90000269	400VA Step Down Transformer 208V to 120V for use with T91i-2000	\$399.00	208V IEC C14, 2ft	120V 5--15R, 2ft	8 lbs	7.0" x 6.8" x 5.9"

T91 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
T915SP715	90000488	Extended 5 Year Factory Warranty for T91-700, T91-1000, T91-1500, UPS	\$350.00
T915SP23	90000489	Extended 5 Year Factory Warranty for T91-2000, T91i-2000, T91-3000 UPS	\$575.00
T915SPBP	90000490	Extended 5 Year Factory Warranty for T91 extended battery packs	\$575.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

T91 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	T91-700		T91-1000		T91-1500		T91/T91i-2000		T91-3000	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
Internal batteries	18	6	19	7	12	3	20	7	12	3
(1) Battery pack	N/A	N/A	78	33	49	20	81	34	49	20
(2) Battery packs	N/A	N/A	147	62	92	39	153	65	93	65
(3) Battery packs	N/A	N/A	223	94	140	59	234	98	142	60
(4) Battery packs	N/A	N/A	306	129	192	81	320	135	194	82
(5) Battery packs	N/A	N/A	393	165	247	104	411	173	249	105
(6) Battery packs	N/A	N/A	484	204	304	128	506	213	605	255
(7) Battery packs	N/A	N/A	579	244	364	153	605	255	367	154

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Online 6kVA & 10kVA
208/230VAC

Increase efficiency and reduce power consumption with this powerful online single-phase UPS

- › Available models: 6kVA/5.4kW, 10kVA/9kW
- › Optional battery runtimes up to 8 hours
- › Maintenance bypass
- › Hot swappable internal battery trays
- › Configurable outputs
- › UL1778, cUL, FCC Class A, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



T90 6kVA 208/230VAC Pricing

Model	Part Number	Description	List Price	Input Connection	Output Connection	Shipping Weight	Unit Dimensions (W x D x H)
T90-6K	90000152	6kVA/5.4kW Tower UPS	\$4,699.00	Terminal block	Terminal block	250 lbs	11.4" x 27.7" x 29.5"
T90-6KB4##	Bundle	6kVA/5.4kW Tower UPS	\$5,299.00	L6-30P, 6ft	(2) Configurable 240V outputs* + (2) L6-30R	256 lbs	11.4" x 28.5" x 29.5"

Replace the "##" in the model number with two of the letters shown below. Each configurable output is protected by a 20A breaker.

*240V: A. L6-15R; B. L6-20R; C. L6-30R; D. 6-15/20R

T90 10kVA 208/230VAC Pricing

Model	Part Number	Description	List Price	Input Connection	Output Connection	Shipping Weight	Unit Dimensions (W x D x H)
T90-10K	90000153	10kVA/9kW Tower UPS	\$7,299.00	Terminal block	Terminal block	274 lbs	11.4" x 27.7" x 29.5"
T90-10KB4##	Bundle	10kVA/9kW Tower UPS	\$7,899.00	Terminal block	(2) Configurable 240V outputs* + (2) L6-30R	280 lbs	11.4" x 28.5" x 29.5"

Replace the "##" in the model number with two of the letters shown below. Each configurable output is protected by a 20A breaker.

*240V: A. L6-15R; B. L6-20R; C. L6-30R; D. 6-15/20R

T90 Battery and Charger Options

Model	Part Number	Description	List Price	Shipping Weight	Unit & Shipping Dimensions (W x D x H)
T90-EBP920	90000245	Extended Battery Pack for T90-6K, T90-10K with (20) 12V 9AH Batteries	\$2,400.00	205 lbs	11.4" x 25.4" x 29.5"
T90-EBP940	90000246	Extended Battery Pack for T90-6K, T90-10K with (40) 12V 9AH Batteries	\$3,200.00	324 lbs	11.4" x 25.4" x 29.5"
T90-EBP960	90000247	Extended Battery Pack for T90-6K, T90-10K with (60) 12V 9AH Batteries	\$4,100.00	446 lbs	11.4" x 25.4" x 29.5"
T90-240CHG	90000324	1000W Charger for use with T90-6K, T90-10K	\$675.00	7 lbs	6.6" x 11.1" x 3.4"

T90 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-1PIN	90000261	Internal Web/SNMP Card	\$295.00	1 lbs	7.25" x 6.0" x 2.5"
TX90-RELAY	90000299	Relay Dry Contact Interface Card	\$299.00	1 lbs	7.25" x 6.0" x 2.5"
TX90-PK	90000611	Parallel Kit	\$199.00	1 lbs	7.25" x 6.0" x 2.5"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Power Distribution Units

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD31	90000251	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Rack PDU	\$299.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C14	6.0 lbs	19.0" x 2.4" x 3.5"

T90 Startup/Service Plans (USA and Canada)

On-site service within 100 miles of an Xtreme Power Service Technician. Contact inside sales for locations exceeding 100 miles.

Model	Part Number	Description	List Price
T9OS3610	90000336	On-site 3 Year Service Plan for T90-6K, T90-10K	\$2,600.00
T9OS5610	90000337	On-site 5 Year Service Plan for T90-6K, T90-10K	\$5,900.00
T9SP610	90000453	Extended 5 Year Factory Warranty for T90-6K, T90-10K	\$1,500.00
T9SU58610	90000338	Startup 5 x 8 for first T90-6K, T90-10K	\$1,800.00
T9SU58AD	90000339	Startup 5 x 8 for each additional T90-6K, T90-10K	\$900.00
T9PM610	90000340	Preventative Maintenance visit for first T90-6K, T90-10K	\$1,800.00
T9PMAD	90000341	Preventative Maintenance visit for each additional T90-6K, T90-10K	\$900.00
T9OS3920	90000342	On-site 3 Year Service Plan for T90-EBP920	\$400.00
T9OS5920	90000343	On-site 5 Year Service Plan for T90-EBP920	\$950.00
T9SPBP2	90000454	Extended 5 Year Factory Warranty for T90-EBP920	\$700.00
T9OS3940	90000344	On-site 3 Year Service Plan for T90-EBP940	\$550.00
T9OS5940	90000345	On-site 5 Year Service Plan for T90-EBP940	\$1,250.00
T9SPBP4	90000455	Extended 5 Year Factory Warranty for T90-EBP940	\$1,000.00
T9OS3960	90000346	On-site 3 Year Service Plan for T90-EBP960	\$700.00
T9OS5960	90000347	On-site 5 Year Service Plan for T90-EBP960	\$1,500.00
T9SPBP6	90000456	Extended 5 Year Factory Warranty for T90-EBP960	\$1,300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

On-site 3 Year Service Plan – 3 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

On-site 5 Year Service Plan – 5 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

T90 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Models	Internal Batteries		EBP920		EBP940		EBP960		(2) EBP940		(2) EBP960		(3) EBP960		(4) EBP960	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
T90-6K	21	7	61	25	102	42	145	60	192	80	293	121	457	190	634	263
T90-10K	13	4	32	13	54	22	77	32	102	42	155	64	241	100	335	139

1. For extended runtimes and detailed requirements, see www.xpcc.com/selector

2. Optional 1000W charger recommended for applications requiring three or more battery packs

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Online 6kVA & 10kVA
208/230VAC or 208:240/120VAC

Reduce power consumption and increase end to end efficiency with this powerful single-phase UPS

- › 98% efficient operation
- › Smart LCD display
- › Multiple communications capability
- › Programmable outlets
- › 2A and 4A charger models available
- › \$50,000 load protection policy
- › UL, cUL, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



P90L 6kVA 208/230VAC Bundle Pricing

P90L-6KBX bundles include battery pack and 4-post rail kits. Standard 2A charger model.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Total Weight	Rack Space
P90L-6KB	90000830	6kVA/5.4kW UPS 208/230V	\$4,399.00	Terminal block with L6-30P, 6ft	Terminal block with L6-30R, 3ft	230 lbs	6U
P90L-6KB2	90000832	6kVA/5.4kW UPS 208/230V	\$4,788.00	Terminal block with L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	239 lbs	6U
P90L-6KB3	90000833	6kVA/5.4kW UPS 208/230V	\$4,788.00	Terminal block with L6-30P, 6ft	(2) L6-30R + (4) L6-20R	238 lbs	6U
P90L-6KB4	90000834	6kVA/5.4kW UPS 208/230V	\$4,698.00	Terminal block with L6-30P, 6ft	(4) IEC C19 + (8) IEC C13	236 lbs	6U

P90L 6kVA 208:240/120VAC Bundle Pricing

P90L-6KTBX bundles include battery pack, isolation transformer, and 4-post rail kits. Standard 2A charger model.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Total Weight	Rack Space
P90L-6KTB4	Bundle	6kVA/5.4kW UPS and XPD-IT60A Bundle 208/120V Output	\$5,823.00	Terminal block with L6-30P, 6ft	(12) 5-15/20R	372 lbs	8U
P90L-6KTB	90000835	6kVA/5.4kW UPS 208V:240/120V Isolation/Bypass	\$6,324.00	Terminal block with L6-30P, 6ft	Terminal block	334 lbs	8U
P90L-6KTB1	90000836	6kVA/5.4kW UPS 208V:240/120V Isolation/Bypass	\$6,449.00	Terminal block with L6-30P, 6ft	(1) L14-30R	335 lbs	8U
P90L-6KTB3	90000838	6kVA/5.4kW UPS 208V:240/120V Isolation/Bypass	\$6,793.00	Terminal block with L6-30P, 6ft	(2) L6-30R + (4) L6-20R + (12) 5-15/20R	345 lbs	8U

P90L 10kVA 208/230VAC Bundle Pricing

P90L-10KBX bundles include battery pack and 4-post rail kits. Standard 2A charger model.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Total Weight	Rack Space
P90L-10KB	90000840	10kVA/9kW UPS 208/230V	\$5,449.00	Terminal block	Terminal block	235 lbs	6U
P90L-10KB2	90000842	10kVA/9kW UPS 208/230V	\$5,838.00	Terminal block	(2) L6-30R + (4) L6-20R	242 lbs	6U
P90L-10KB3	90000843	10kVA/9kW UPS 208/230V	\$5,748.00	Terminal block	(4) IEC C19 + (8) IEC C13	242 lbs	6U

P90L 10kVA 208:240/120VAC Bundle Pricing

P90L-10KTBX bundles include battery pack, isolation transformer with maintenance bypass, and 4-post rail kits. Standard 2A charger model.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Total Weight	Rack Space
P90L-10KTB	90000844	10kVA/9kW UPS 208V:240/120V Isolation/Bypass	\$8,474.00	Terminal block	Terminal block	362 lbs	9U
P90L-10KTB2	90000846	10kVA/9kW UPS 208V:240/120V Isolation/Bypass	\$8,943.00	Terminal block	(2) L6-30R + (4) L6-20R + (12) 5-15/20R	372 lbs	9U

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

P90L 6kVA & 10kVA 208V 50/60Hz Component Pricing

P90L 6kVA & 10kVA Series come in both 2A or 4A chargers and no internal batteries. For applications requiring 3 or more battery packs, use "KH" models.

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Weight	Unit & Shipping Dimensions (W x D x H)
P90L-6K	90000930	6kVA/5.4kW 208/230V UPS Module with 2A 240V Nominal Charger, 3U	\$2,849.00	Terminal block with L6-30P, 6ft	Terminal block with L6-30R, 3ft	55 lbs	17.3" x 26.3" x 5.3" 23.0" x 34.0" x 10.5"
P90L-6KH	90000140	6kVA/5.4kW 208/230V UPS Module with 4A 240V Nominal Charger, 3U	\$3,049.00	Terminal block with L6-30P, 6ft	Terminal block with L6-30R, 3ft	55 lbs	17.3" x 26.3" x 5.3" 23.0" x 34.0" x 10.5"
P90L-10K	90000931	10kVA/9kW 208/230V UPS Module with 2A 240V Nominal Charger, 3U	\$3,899.00	Terminal block	Terminal block	60 lbs	17.3" x 29.5" x 5.3" 23.5" x 34.5" x 10.0"
P90L-10KH	90000141	10kVA/9kW 208/230V UPS Module with 4A 240V Nominal Charger, 3U	\$4,099.00	Terminal block	Terminal block	60 lbs	17.3" x 29.5" x 5.3" 23.5" x 34.5" x 10.0"
P90L-BP240	90000932	240V Battery Pack for P90L-6K, P90L-10K, 3U	\$1,300.00	N/A	N/A	165 lbs	17.3" x 25.1" x 5.3" 23.0" x 34.0" x 10.5"

P90L Isolation Transformers

Model	Part Number	Description	List Price	Weight	Unit Dimensions (W x D x H)
XPD-IT60A	90000407	6kVA PDU with Isolation Transformer 208V to 120V (or 240V to 120V), 3ft L6-30P Input Cord, (1) L6-30R and (12) 5-15/20R Receptacles, Max. 120V load is 4kW.	\$1,369.00	137 lbs	19.0" x 18.0" x 3.5"
P90L-ISO6MB	90000193	Isolation Transformer with Maintenance Bypass for use with P90L-6K for 240/120V Output with 1ft L6-30P	\$1,800.00	99 lbs	17.3" x 28.7" x 3.5"
P90L-ISO6P	90000195	Isolation Transformer with Maintenance Bypass for use with P90L-6K for 240/120V Output. Includes L14-30R and 1ft Output Cord	\$1,925.00	101 lbs	17.3" x 28.7" x 3.5"
P90L-ISO10MB	90000194	Isolation Transformer with Maintenance Bypass for use with P90L-10K for 240/120V Output	\$2,900.00	122 lbs	17.3" x 31.8" x 5.2"

P90L Mounting Kits

Model	Part Number	Description	List Price	Weight	Unit Dimensions (W x D x H)
P90L-RAIL	90000933	4-Post Rail Kit	\$125.00	5 lbs	3.8" x 19.8" x 2.8"
XPC-2POSTL	90000116	2-Post Shelf Kit; Rated for 150 lbs	\$139.00	9 lbs	21.5" x 23.3" x 3.5"
XPC-2POST	90003042	Heavy Duty 2-Post Shelf Kit; Rated for 300 lbs	\$250.00	14 lbs	19.0" x 29.0" x 5.2"

P90L Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2PMINI	90000399	Two Port Internal SNMP Card	\$259.00	1 lb	7.25" x 6" x 2.5"
SNMP-EMD*	90000398	Environmental Monitoring Sensor	\$149.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus Card	\$299.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2PMINI

Power Distribution Units

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Weight	Unit Dimensions (W x D x H)
XPD24C13V	90000374	30A 208V Basic PDU	\$249.00	L6-30P, 6ft	(24) IEC C13	12.0 lbs	66.0" x 1.75" x 1.75"
XPD31	90000251	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Rack PDU	\$299.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C14	6.0 lbs	19.0" x 2.4" x 3.5"
XPD34	90000254	30A 240/120V 2U 19" Basic Rack PDU	\$469.00	L14-30P, 6ft	(2) L6-30R + (4) L6-20R + (12) 5-20R	9.5 lbs	19.0" x 4.7" x 3.5"
XPD35	90000255	50A 240V 2U 19" Basic Rack PDU	\$389.00	Pigtail 2W+G	(2) L6-30R + (4) L6-20R	7.0 lbs	19.0" x 2.4" x 3.5"
XPD36	90000256	50A 240V 2U 19" Basic Rack PDU	\$299.00	Pigtail 2W+G	(4) IEC C19 + (8) IEC C13	6.8 lbs	19.0" x 2.4" x 3.5"
XPD37	90000257	50A 240/120V 2U 19" Basic Rack PDU	\$469.00	Pigtail 3W+G	(2) L6-30R + (4) L6-20R + (12) 5-20R	10.0 lbs	19.0" x 4.7" x 3.5"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Bypass Distribution Modules

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Weight	Unit Dimensions (W x D x H)
XBDM-HW63	90000934	63A/230VAC Bypass Distribution Module	\$450.00	Hardwire or optional cable kit	Hardwire terminal block	Hardwire or optional cable kit	7.1 lbs	17.25" x 5.25" x 3.5"

P90L Startup/Service Plans (USA and Canada)

On-site service within 100 miles of an Xtreme Power Service Technician. Contact inside sales for locations exceeding 100 miles.

Model	Part Number	Description	List Price
P9OS3610	90000348	On-site 3 Year Service Plan for P90L-6K, P90L-10K	\$2,600.00
P9OS5610	90000349	On-site 5 Year Service Plan for P90L-6K, P90L-10K	\$5,900.00
P9SP610	90000350	Extended 5 Year Factory Warranty for P90L-6K, P90L-10K	\$1,500.00
P9SU58610	90000351	Startup 5 x 8 for first P90L-6K, P90L-10K	\$1,800.00
P9SUAD	90000352	Startup 5 x 8 for each additional P90L-6K, P90L-10K	\$900.00
P9PM610	90000353	Preventative Maintenance visit for first P90L-6K, P90L-10K	\$1,800.00
P9PMAD	90000354	Preventative Maintenance visit for each additional P90L-6K, P90L-10K	\$900.00
P9OS3BP	90000355	On-site 3 Year Service Plan for P90L-BP240	\$400.00
P9OS5BP	90000356	On-site 5 Year Service Plan for P90L-BP240	\$950.00
P9OL5SPBP2	90000946	Extended 5 Year Factory Warranty for P90L-BP240	\$700.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

On-site 3 Year Service Plan – 3 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

On-site 5 Year Service Plan – 5 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

P90L Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Models	UPS + 1 BP		UPS + 2 BP		UPS + 3 BP		UPS + 4 BP		UPS + 5 BP		UPS + 6 BP		UPS + 7 BP		UPS + 8 BP	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
P90L-6K	19	9	47	20	79	34	115	50	153	66	193	84	236	102	280	121
P90L-10K	10	5	24	11	41	18	59	26	79	35	100	43	122	53	145	63

For applications requiring 3 or more battery packs, use KH model with 4A charger.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

**Online 6kVA & 10kVA
208/120VAC**

UPS power protection with dual voltage output for critical network electronics

- › Online double conversion technology with dual inverter design
- › Hot swappable internal batteries
- › Integrated wrap around maintenance bypass
- › Hardwired or cord configurations
- › N+1 parallel redundant capable
- › Tower or rack mount
- › Dual output voltages: 240/120V, 208/120V, 230/115V, 200/100V
- › 10kVA parallel system operation option
- › \$50,000 Load Protection Policy
- › UL, cUL, FCC
- › 3 years electronics, 3 years battery warranty (USA and Canada)



XPRT Series UPS

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit & Shipping Dimensions (W x D x H)
XPRT-6000B	90000013	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(4) 5-20R + (1) L6-30R + (1) L14-30R	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000HB	90000036	6kVA/4.2kW 208V UPS, 4U	\$5,234.00	Hardwire	Hardwire	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000B1	90000164	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(2) 5-20R + (2) L6-20R	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000B2	90000165	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(4) 5-20R + (2) L6-30R	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000B3	90000167	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(4) L5-20R + (2) L5-30R	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000B4	90000403	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(4) L6-20R	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000B5	90000404	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(4) EN60320	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-6000B6	90000405	6kVA/4.2kW 208V UPS, 4U	\$5,448.00	L14-30P	(4) L5-20R + (2) L6-30R	162 lbs	16.9" x 22.7" x 6.9" 20.9" x 27.8" x 13.2"
XPRT-10000B	90000014	10kVA/8kW 208V UPS, 6U	\$9,499.00	Hardwire	Hardwire	309 lbs	16.9" x 26.0" x 10.5" 22.4" x 33.9" x 15.8"

XPRT Extended Battery Packs

Model	Part Number	Description	List Price	Unit Weight	Unit & Shipping Dimensions (W x D x H)
XPRT-BP4	90000019	Extended Battery Pack for 6kVA UPS, 2U	\$1,150.00	95 lbs	16.9" x 22.5" x 3.5" 23.0" x 27.2" x 10.5"
XPRT-BP5	90000030	Extended Battery Pack for 10kVA UPS, 4U	\$2,869.00	200 lbs	16.9" x 26.0" x 6.8" 22.6" x 33.5" x 12.4"

XPRT Mounting Kits

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
XPC-2POST	90003042	Heavy Duty 2-Post Rack Mount Shelf Kit; Rated for 300 lbs	\$250.00	14 lbs	19.0" x 29.0" x 5.2"
XPRT-RR2	90000032	4-Post Rail Kit	\$80.00	9 lbs	20.0" x 4.0" x 3.0"

XPRT Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
XPRT-SNMP2	90000031	Internal Web/SNMP Card	\$469.00	2 lbs	8.0" x 6.0" x 3.0"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Power Distribution Units

Model	Part Number	Description	List Price	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPRT-PDU3	9000035	Receptacle Output PDU for 10kVA UPS	\$990.00	(4) 5-20R + (2) L5-20R + (2) L6-30R	5.5 lbs	8.9" x 10.4" x 7.9" 11.0" x 9.0" x 9.0"
XPRT-PDU10	90000163	Receptacle Output PDU for 10kVA UPS	\$990.00	(8) 5-20R + (2) L6-30R	5.5 lbs	8.9" x 10.4" x 7.9" 11.0" x 9.0" x 9.0"
XPRT-PDU11	90000166	Receptacle Output PDU for 10kVA UPS	\$990.00	(4) 5-20R + (4) L6-20R	5.5 lbs	8.9" x 10.4" x 7.9" 11.0" x 9.0" x 9.0"
XPRT-PDU12	90000168	Receptacle Output PDU for 10kVA UPS	\$990.00	(4) 5-20R + (4) L6-30R	5.5 lbs	8.9" x 10.4" x 7.9" 11.0" x 9.0" x 9.0"
XPRT-PDU13	90000169	Receptacle Output PDU for 10kVA UPS	\$990.00	(4) 5-20R + (2) L6-20R + (2) L6-30R	5.5 lbs	8.9" x 10.4" x 7.9" 11.0" x 9.0" x 9.0"
XPRT-PDU14	90000175	Receptacle Output PDU for 10kVA UPS	\$990.00	(4) L5-20R + (4) L6-20R	5.5 lbs	8.9" x 10.4" x 7.9" 10.0" x 9.0" x 13.0"

XPRT Startup/Service Plans (USA and Canada)

On-site service within 100 miles of an Xtreme Power Service Technician. Contact inside sales for locations exceeding 100 miles.

Model	Part Number	Description	List Price
XPOS3610	90000357	On-site 3 Year Service Plan for XPRT 6kVA & 10kVA	\$2,600.00
XPOS5610	90000358	On-site 5 Year Service Plan for XPRT 6kVA & 10kVA	\$5,900.00
XPS610	90000359	Extended 5 Year Factory Warranty for XPRT 6kVA & 10kVA	\$1,500.00
XPSU58610	90000360	Startup 5 x 8 for first XPRT 6kVA & 10kVA	\$1,800.00
XPSU58AD	90000361	Startup 5 x 8 for each additional XPRT 6kVA & 10kVA	\$900.00
XPPM610	90000362	Preventative Maintenance visit for first XPRT 6kVA & 10kVA	\$1,800.00
XPPMAD	90000363	Preventative Maintenance visit for each additional XPRT 6kVA & 10kVA	\$900.00
XPOS3BP4	90000364	On-site 3 Year Service Plan for XPRT-BP4	\$400.00
XPOS5BP4	90000365	On-site 5 Year Service Plan for XPRT-BP4	\$950.00
XPRT5SPB4	90000513	Extended 5 Year Factory Warranty for XPRT-BP4	\$700.00
XPOS3BP5	90000366	On-site 3 Year Service Plan for XPRT-BP5	\$550.00
XPOS5BP5	90000367	On-site 5 Year Service Plan for XPRT-BP5	\$1,250.00
XPRT5SPB5	90000514	Extended 5 Year Factory Warranty for XPRT-BP5	\$1,000.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

On-site 3 Year Service Plan – 3 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

On-site 5 Year Service Plan – 5 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

XPRT Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	Internal Batteries		(1) Battery pack		(2) Battery packs		(3) Battery packs		(4) Battery packs	
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
XPRT-6000	14	5	41	14	79	26	125	42	179	60
XPRT-10000	16	5	45	15	85	29	135	45	194	65

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252



Modular Online UPS

Three capacities: 20kVA/18kW, 40kVA/36kW, 60kVA/54kW
208/120VAC Three phase

Mission Critical Availability while reducing costs with Scalable, Modular M90 for 20kVA, 40kVA, 60kVA applications

- › Energy Star Certified
- › Modular and upgradeable for capacity or redundancy
- › Hot swappable power modules
- › Large LCD display
- › Up to 98% ECO mode or 94% online efficiency
- › Remote control and monitoring options
- › UL-1778 (TUV), cUL, FCC A, RoHS
- › 2 year warranty (USA and Canada)

M90 Series 208/120VAC Three phase bundles

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
M90-20k1	Bundle	20kVA/18kW 208/120V UPS including 7 minute battery and maintenance bypass	\$20,090	Hardwired	Hardwired	820 lbs	20.3" x 39.4" x 54"
M90-20k2	Bundle	20kVA/18kW 208/120V UPS including 18 minute battery and maintenance bypass	\$22,930	Hardwired	Hardwired	1092 lbs	20.3" x 39.4" x 54"
M90-20k3	Bundle	20kVA/18kW 208/120V UPS including 29 minute battery and maintenance bypass	\$25,770	Hardwired	Hardwired	1364 lbs	20.3" x 39.4" x 54"
M90-40k1	Bundle	40kVA/36kW 208/120V UPS including 7 minute battery and maintenance bypass	\$29,830	Hardwired	Hardwired	1166 lbs	20.3" x 39.4" x 54"
M90-40k2	Bundle	40kVA/36kW 208/120V UPS including 12 minute battery and maintenance bypass	\$32,670	Hardwired	Hardwired	1438 lbs	20.3" x 39.4" x 54"
M90-60k1	Bundle	60kVA/54kW 208/120V UPS including 7 minute battery and maintenance bypass	\$39,570	Hardwired	Hardwired	1512 lbs	20.3" x 39.4" x 54"

M90 Series Pricing

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
M90-ENC	90000560	M90 complete enclosure (60Kva max) includes large LCD display, static switch, and maintenance bypass. Holds up to 3 UPS modules, and 12 battery modules	\$10,350	484 lbs	20.3" x 39.4" x 54"
M90-PWRM	90000561	M90 20kVA power module	\$6,900	74 lbs	19.5" x 29.5" x 5.5"
M90-BATT	90000563	M90 battery tray (10) UPS 12580*	\$710	68 lbs	4.3" x 28.5" x 6.5"
M90 SKIRT	90000565	Skirt kit for M90	\$360	20 lbs	7" x 43.5" x 6.5"

*Four battery trays required for each power module

M90 Series Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2P3	90000561	Two port internal SNMP card	\$289	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Internal modbus card	\$299	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	Relay card	\$110	1 lb	7.25" x 6" x 2.5"
SNMP-EMD	90000398	Environmental monitoring device*	\$149	1lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2P3

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

M90 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
M90SU581	90000570	Startup 5x8 and 1 year on-site warranty	\$2300
M90SU582	90000571	Startup 5x8 and 2 year on-site warranty	\$3700
M90SU583	90000593	Startup 5x8 and 3 year on-site warranty	\$5900
M90SU7241	90000591	Startup 7x24 and 1 year on-site warranty	\$2760
M90SU7242	90000592	Startup 7x24 and 2 year on-site warranty	\$4400
M90EXW1YR	90000594	1 year warranty extension	\$3200

M90 Series Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

System load (KVA)	5	10	15	20	25	30	35	40	45	50	55	60
4 battery modules	37	16	9	6	-	-	-	-	-	-	-	-
8 battery modules	84	37	22	16	12	9	7	6	-	-	-	-
12 battery modules	126	60	37	26	20	16	13	11	9	8	7	6

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252



Modular Online UPS

Three capacities: 20kVA/18kW, 40kVA/36kW, 60kVA/54kW
208/120VAC Three phase

Mission Critical Availability while reducing costs with Scalable, Modular M90L for 20kVA, 40kVA, 60kVA applications

- › Energy Star Certified
- › Modular and upgradeable for capacity or redundancy
- › Hot swappable power modules
- › Large LCD display
- › Up to 98% ECO mode or 94% online efficiency
- › Remote control and monitoring options
- › UL-1778 (TUV), cUL, FCC A, RoHS
- › 2 year warranty (UPS)

M90L Series Pricing

Model	Part Number	Description	List Price	Unit Weight	Unit Dimensions (W x D x H)
M90L-ENC	90000562	M90L complete enclosure (60kVA max) includes large LCD display, static switch, and maintenance bypass. Holds up to 3 UPS modules. Does not hold battery modules.	\$7,700	227 lbs	20.3" x 39.4" x 30"
M90-PWRM	90000561	M90 20kVA power module	\$6,900	74 lbs	19.5" x 29.5" x 5.5"
M90-SKIRT	90000565	Skirt kit for M90	\$360	20 lbs	7" x 43.5" x 6.5"

M90L Series Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-2P3	90000561	Two port internal SNMP card	\$289	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Internal modbus card	\$299	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	Relay card	\$110	1 lb	7.25" x 6" x 2.5"
SNMP-EMD	90000398	Environmental monitoring device*	\$149	1lb	7.25" x 6" x 2.5"

*SNMP-EMD to be used with SNMP-2P3

M90L Service Plans (USA and Canada)

Model	Part Number	Description	List Price
M90SU581	90000570	Startup 5x8 and 1 year on-site warranty	\$2300
M90SU582	90000571	Startup 5x8 and 2 year on-site warranty	\$3700
M90SU583	90000593	Startup 5x8 and 3 year on-site warranty	\$5900
M90SU7241	90000591	Startup 7x24 and 1 year on-site warranty	\$2760
M90SU7242	90000592	Startup 7x24 and 2 year on-site warranty	\$4400
M90EXW1YR	90000594	1 year warranty extension	\$3200

M90L Series Battery Packs and Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature. List price varies based on battery cabinet breaker.

Battery Cabinet Model	Strings	20kVA/18kW	40kVA/36kW	60kVA/54kW	Dimensions	Weight	List Price		
							100A	200A	300A
2TC1S280-D2401BXXX	1	35	12	6.2	29.5" x 31.6" x 59.0"	1,600 lbs	\$13550	\$15710	\$17110
2TC1S330-D2401BXXX	1	42	16	8.0	29.5" x 31.6" x 59.0"	1,770 lbs	\$14530	\$16699	\$18090
2TC1S390-D2401BXXX	1	50	19	10	29.5" x 31.6" x 59.0"	1,920 lbs	\$15360	\$17515	\$18920
2TC1S540-D2401BXXX	1	78	31	17	29.5" x 31.6" x 59.0"	2,480 lbs	\$17490	\$19658	\$21050
2TC1S620-D2401BXXX	1	82	36	20	29.5" x 31.6" x 59.0"	2,480 lbs	\$19120	\$21280	\$22680
55C2S330-D2401BXXX	2	89	42	24	40.0" x 29.5" x 76.7"	3,300 lbs	\$22940	\$25100	\$26630
55C2S390-D2401BXXX	2	106	50	29	40.0" x 29.5" x 76.7"	3,600 lbs	\$24590	\$26750	\$28280
55C2S540-D2401BXXX	2	175	78	47	40.0" x 29.5" x 76.7"	4,720 lbs	\$28855	\$31015	\$32550
55C2S620-D2401BXXX	2	177	82	52	40.0" x 29.5" x 76.7"	4,720 lbs	\$32110	\$34270	\$35880

For extended runtimes and detailed requirements, call (800) 582-4524. XXX in the battery cabinet model to be replaced by 100, 200, or 300. 100A limited to 20kVA UPS maximum, 200A limited to 40kVA UPS maximum, and 300A allows full 60kVA UPS.

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Three-phase Online 20kVA
415/240VAC, 400/230VAC, 380/220VAC

Reduce power consumption with 94% online efficiency

- › High output power factor of 0.9
- › Parallel for capacity or redundancy up to 4 modules
- › 50Hz or 60Hz operation
- › Online double conversion or ECO mode operation
- › 99% efficiency in single module systems in ECO mode
- › UL 1778, FCC A, CE
- › 2 years depot warranty (USA only)



R91 Series UPS

Model	Part Number	Description	List Price	Input/Output	Unit Weight	Shipping Weight	Unit & Shipping Dimensions (W x D x H)
R91-20K	90000129	20kVA/18kW Three-phase UPS 3U with Rack Shelf Kit	\$11,300.00	Terminal block	68.4 lbs	91.5 lbs	17.4" x 22.8" x 5.2" 22.2" x 28.5" x 14.2"
BP-XR2U480A	90000468	R91 Battery Module 2U with battery compartments	\$4,900.00	N/A	195 lbs	215 lbs	17.4 x 44 x 3.5" 24" x 47.5" x 8"
BP-XR4U480A	90000390	R91 Battery Module 4U with hot swappable battery modules	\$5,720.00	N/A	280 lbs	300 lbs	17.4 x 33.9 x 7" 24.5" x 39" x 10"

R91 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-R90	90000266	External Web/SNMP card	\$400.00	1 lb	7.3" x 3.5" x 1.8"

R91 Accessories

Model	Part Number	Description	List Price	Utility Input Connection	Load Output Connection	Unit Weight	Unit Dimensions (W x D x H)
R90-MBP40A	90000369	400V 40A Maintenance Bypass with Rotary Switch, Cable Kit, and UPS Interlock	\$2,700.00	Terminal block	Terminal block	10.5 lbs	17.0" x 9.0" x 3.5"
R91-XFMR	90000534	2U StepDown Transformer; 480Y/277V Input, 400Y/230V output	\$6,800.00	Terminal block	Terminal block	TBA	TBA
R91-IEC309	90000535	32A input/output IEC 309 cable kit	\$600.00	IEC 309	IEC 309	TBA	TBA

R91 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
R91SU581	90000536	Startup 5x8 and 1 year on-site warranty	\$2,300.00
R91SU582	90000537	Startup 5x8 and 2 year on-site warranty	\$3,700.00

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

R91 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Percentage load	20%	40%	60%	80%	100%
R91-20K + (1)BP-XR4U480A	52	23	14	9	7
R91-20K + (2)BP-XR4U480A	116	53	33	23	18
R91-20K + (3)BP-XR4U480A	170	87	53	38	29
R91-20K + (4)BP-XR4U480A	234	117	75	53	41
R91-20K + (5)BP-XR4U480A	300	140	99	70	53
R91-20K + (6)BP-XR4U480A	368	172	117	87	66
R91-20K + (7)BP-XR4U480A	437	204	131	104	80
R91-20K + (8)BP-XR4U480A	507	237	151	117	94
R91-20K + (1)BP-XR2U480A	28	13	7.2	4.7	3.2
R91-20K + (2)BP-XR2U480A	65	28	17	13	10

For longer runtimes please contact sales@xpcc.com

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Isolated Online 1000VA-5000VA
230VAC or 120VAC output

Online UPS with isolation transformer for complete power protection

- › Available models: 1000VA, 2000VA, 3000VA, 5000VA
- › TX90 default output voltage is 120V (user selectable to 100, 110, 115, 127V)
- › TX90i default output voltage is 230V (user selectable to 200, 208, 220, 240V)
- › Online double conversion technology
- › Power conditioning with complete galvanic isolation
- › Step-down voltage from 230V to 120V or step-up voltage from 120V to 230V (1-3kVA)
- › Auto-ranging input feature supports worldwide input voltage from 88V to 288V (1-3kVA)
- › CE, RoHS listed
- › 3 years electronics, 3 years battery warranty (USA and Canada)



TX90 Series UPS (120V output)

World input feature. Auto-ranging input allows ANY voltage from 88V to 288V.

Model	Part Number	Description	List Price	Input Connection	Output Connection	Unit Weight	Unit & Shipping Dimensions (W x D x H)
TX90-1000	90000600	1000VA/800W Tower UPS 120V (100, 110, 115, 127V) Output	\$1,099.00	IEC C14 inlet	(4) 5-15R	58.5 lbs	5.7" x 15.6" x 13.1" 12.6" x 18.6" x 18.1"
TX90-2000	90000601	2000VA/1600W Tower UPS 120V (100, 110, 115, 127V) Output	\$1,799.00	IEC C20 inlet	(8) 5-15/20R	89 lbs	7.5" x 16.8" x 17.6" 12.6" x 22.0" x 23.2"
TX90-3000	90000602	3000VA/2400W Tower UPS 120V (100, 110, 115, 127V) Output	\$2,399.00	Terminal block or optional line cord	(6) 5-15/20R + terminal block	119 lbs	7.5" x 16.8" x 17.6" 12.6" x 26.8" x 23.2"

*TX90 capacity derates 20% at 100VAC output voltages

TX90i Series UPS (230V output)

World input feature. Auto-ranging input allows ANY voltage from 88V to 288V.

Model	Part Number	Description	List Price	Input Connection	Output Connection	Unit Weight	Unit & Shipping Dimensions (W x D x H)
TX90i-1000	90000603	1000VA/800W Tower UPS 230V (200, 208, 220, 240V) Output	\$1,099.00	IEC C14 inlet	(4) IEC C13	58.5 lbs	5.7" x 15.6" x 13.1" 12.6" x 18.6" x 18.1"
TX90i-2000	90000604	2000VA/1600W Tower UPS 230V (200, 208, 220, 240V) Output	\$1,799.00	IEC C20 inlet	(8) IEC C13	89 lbs	7.5" x 16.8" x 17.6" 12.6" x 22.0" x 23.2"
TX90i-3000	90000605	3000VA/2400W Tower UPS 230V (200, 208, 220, 240V) Output	\$2,399.00	Terminal block or optional line cord	(6) IEC C13 + terminal block	119 lbs	7.5" x 16.8" x 17.6" 12.6" x 26.8" x 23.2"
TX90i-5000*	90000606	5000VA/4000W Tower UPS 230V (200, 208, 220, 240V) Output	\$3,799.00	Terminal block or optional line cord	(6) IEC C13 + terminal block	156 lbs	7.5" x 16.8" x 17.6" 12.6" x 26.8" x 23.2"

*TX90i capacity derates 20% at 200/208VAC output voltages

*TX90i-5000 derates 40% in frequency conversion mode

TX90 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-1PMINI	90000260	Single Port SNMP	\$299.00	1 lb	7.25" x 6" x 2.5"
MODBUS-IN	90000267	Modbus card	\$299.00	1 lb	7.25" x 6" x 2.5"
USB-IN	90000268	USB card	\$60.00	1 lb	7.25" x 6" x 2.5"
RELAY-MINI	90000265	General Relay Contacts with DB9 & Terminal Block Adapter	\$110.00	1 lb	7.25" x 6" x 2.5"

TX90 Accessories

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
TX90-CB	90000612	Caster Base for use with TX90/TX90i-2000, TX90/TX90i-3000, TX90i-5000; Includes 4 Locking Swivel Casters	\$300.00	10 lbs	12.5" x 15.1" x 1.5"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

TX90 Input Cords

Call for quote for input cord with other USA or International plug types (100V-240V).

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-C13-515P	IEC C13 to 5-15P for use with TX90/TX90i-1000	6ft	100V-120V	\$39.00	5 lbs
XPC-C13-L620P	IEC C13 to L6-20P for use with TX90/TX90i-1000	8ft	200-240V	\$49.00	5 lbs
XPC-C13-615P	IEC C13 to 6-15P for use with TX90/TX90i-1000	6ft	200-240V	\$39.00	5 lbs
XPC-C13-SCH	IEC C13 to Schuko for use with TX90/TX90i-1000	6ft	100V-120V	\$39.00	5 lbs
XPC-C19-515P	IEC C19 to 5-15P for use with TX90/TX90i-1000	6ft	200-240V	\$39.00	5 lbs
XPC-C19-520P	IEC C19 to 5-20P for use with TX90/TX90i-2000*	8ft	100V-120V	\$59.00	5 lbs
XPC-C19-L520P	IEC C19 to L5-20P for use with TX90/TX90i-2000*	8ft	100V-120V	\$79.00	5 lbs
XPC-C19-L620P	IEC C19 to L6-20P for use with TX90/TX90i-2000	8ft	200-240V	\$79.00	5 lbs
XPC-C19-615P	IEC C19 to 6-15P for use with TX90/TX90i-2000	8ft	200-240V	\$59.00	5 lbs
XPC-L530P	L5-30P Factory Terminated to Input TB for use with TX90/TX90i-2000/3000*	6ft	100V-120V	\$125.00	5 lbs
XPC-L620P	L6-20P Factory Terminated to Input TB for use with TX90/TX90i-3000 and TX90i-5000*	6ft	200-240V	\$125.00	5 lbs
XPC-L630P	L6-30P Factory Terminated to Input TB for use with TX90/TX90i-3000 and TX90i-5000	6ft	200-240V	\$125.00	5 lbs
XPC-615P	6-15P Factory Terminated to Input TB for use with TX90/TX90i-3000*	6ft	200-240V	\$125.00	5 lbs
XPC-620P	6-20P Factory Terminated to Input TB for use with TX90/TX90i-3000 and TX90i-5000*	6ft	200-240V	\$125.00	5 lbs

*Limits capacity of UPS

TX90 Output Cords

Call for quote for output cord with other USA or International plug types (100V-240V).

Model	Description	Cord Length	Input Voltage	List Price	Unit Weight
XPC-C14-615R*	IEC C14 to 6-15/20R for use with TX90i-1000/2000/3000/5000	1ft	200-240V	\$49.00	2 lbs
XPC-C14-L620R*	IEC C14 to L6-20R for use with TX90i-3000/5000	1ft	200-240V	\$69.00	2 lbs
XPC-C14-L630R*	IEC C14 to L6-30R for use with TX90i-3000/5000	1ft	200-240V	\$69.00	2 lbs
XPC-L530R	L5-30R Factory Terminated to Output TB for use with TX90-3000	6ft	100V-120V	\$125.00	5 lbs
XPC-L630R	L6-30R Factory Terminated to Output TB for use with TX90i-1000/2000/3000/5000	6ft	200-240V	\$125.00	5 lbs

*Maximum capacity of outputs is limited by UPS rating and (2) 10A breakers

Power Distribution Units & Transformers

Model	Part Number	Description	List Price	Input Connection	Output Connection	Unit Weight	Unit Dimensions (W x D x H)
XPD-AT15A	90000199	1500W Transformer PDU with Meter 280V to 120V for use with TX90i Models	\$479.00	Detachable IEC C14, 3ft	(16) 5-15R	19.7 lbs	19.0" x 10.5" x 3.5"
XAT-400	90000269	400VA Step Down Transformer 208V to 120V for use with TX90i Models	\$399.00	208V IEC C14, 2ft	120V 5-15R, 2ft	8 lbs	7.0" x 6.8" x 5.9"

TX90 Service Plans (USA and Canada)

Model	Part Number	Description	List Price
TX90SP1	90000450	Extended 5 Year Factory Warranty for TX90/TX90i-1000	\$350.00
TX90SP23	90000451	Extended 5 Year Factory Warranty for TX90/TX90i-2000/3000	\$575.00
TX90SP5	90000452	Extended 5 Year Factory Warranty for TX90i-5000	\$800.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

TX90 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Model	25% Load	50% Load	75% Load	100% Load
TX90/TX90i-1000	26	11	7	5
TX90/TX90i-2000	26	11	7	5
TX90/TX90i-3000	26	11	7	5
TX90i-5000	26	11	7	5

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Isolated Online 6kVA & 10kVA

208VAC Input // 240/120VAC or 208/120VAC Output

Isolated online UPS provides protection from all 10 common power problems

- › Available models: 6kVA/5.4kW, 10kVA/9kW
- › Optional battery runtimes up to 8 hours
- › Maintenance bypass
- › Auto restart
- › Hot swappable internal battery trays
- › Galvanic isolation transformer
- › Configurable outputs
- › UL1778, cUL, FCC Class A, RoHS
- › 3 years electronics, 3 years battery warranty (USA and Canada)



TX90 6kVA 208VAC Input - 240/120VAC or 208/120VAC Output Pricing

208/120VAC output consists of one leg of 120V and one leg of 88V (excludes B5 bundles).

Model	Part Number	Description	List Price	Battery	Input Connection	Output Connection	Shipping Weight	Unit Dimensions (W x D x H)
TX90-6K	90000150	6kVA/5.4kW Tower UPS with Isolation Transformer	\$5,649.00	(20) 7.2AH	Terminal block	Terminal block	322 lbs	11.4" x 28.0" x 29.5"
TX90-6KXR	90000470	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,699.00	(20) 580W	Terminal block	Terminal block	332 lbs	11.4" x 28.0" x 29.5"
TX90-6KB1##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,249.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 240V outputs* + (4) 5-15/20R	327 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB1##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,299.00	(20) 580W	L6-30P, 6ft	(2) Configurable 240V outputs* + (4) 5-15/20R	337 lbs	11.4" x 28.0" x 29.5"
TX90-6KB2##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,249.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 120V outputs* + (4) 5-15/20R	327 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB2##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,299.00	(20) 580W	L6-30P, 6ft	(2) Configurable 120V outputs* + (4) 5-15/20R	337 lbs	11.4" x 28.0" x 29.5"
TX90-6KB3	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,249.00	(20) 7.2AH	L6-30P, 6ft	(2) L14-30R + (4) 5-15/20R	329 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB3	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,299.00	(20) 580W	L6-30P, 6ft	(2) L14-30R + (4) 5-15/20R	339 lbs	11.4" x 28.0" x 29.5"
TX90-6KB4##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,249.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 240V outputs* + (2) L6-30R	329 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB4##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,299.00	(20) 580W	L6-30P, 6ft	(2) Configurable 240V outputs* + (2) L6-30R	339 lbs	11.4" x 28.0" x 29.5"
TX90-6KB5##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,249.00	(20) 7.2AH	L6-30P, 6ft	(2) Configurable 208V outputs* + (4) 5-15/20R	327 lbs	11.4" x 28.0" x 29.5"
TX90-6KXRB5##	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,299.00	(20) 580W	L6-30P, 6ft	(2) Configurable 208V outputs* + (4) 5-15/20R	337 lbs	11.4" x 28.0" x 29.5"
TX90-6KB6####	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$6,549.00	(20) 7.2AH	L6-30P, 6ft	(4) Configurable 240V outputs* + (8) 5-15/20R	329 lbs	11.4" x 30.0" x 29.5"
TX90-6KXRB6####	Bundle	6kVA/5.4kW Tower UPS with Isolation Transformer	\$7,599.00	(20) 580W	L6-30P, 6ft	(4) Configurable 240V outputs* + (8) 5-15/20R	339 lbs	11.4" x 30.0" x 29.5"

*Replace the "##" in the model number with two of the letters shown below. Each configurable output is protected by a 20A breaker.

240V/208V: A. L6-15R; B. L6-20R; C. L6-30R; D. 6-15/20R; **120V:** K. L5-15R; L. L5-20R; M. L5-30R; N. 5-15/20R

For optional voltage configurations add \$300 list (PN:T9VCNFG, see below)

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

TX90 10kVA 208VAC Input - 240/120VAC or 208/120VAC Output Pricing

208/120VAC output consists of one leg of 120V and one leg of 88V (excludes B5 bundles).

Model	Part Number	Description	List Price	Battery	Input Connection	Output Connection	Shipping Weight	Unit Dimensions (W x D x H)
TX90-10K	90000151	10kVA/9kW Tower UPS with Isolation Transformer	\$8,849.00	(20) 9AH	Terminal block	Terminal block	389 lbs	11.4" x 28.0" x 34.7"
TX90-10KXR	90000471	10kVA/9kW Tower UPS with Isolation Transformer	\$9,899.00	(20) 580W	Terminal block	Terminal block	399 lbs	11.4" x 28.0" x 34.7"
TX90-10KB1###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$9,449.00	(20) 9AH	Terminal block	(2) Configurable 240V outputs* + (4) 5-15/20R	394 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB1###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$10,499.00	(20) 580W	Terminal block	(2) Configurable 240V outputs* + (4) 5-15/20R	404 lbs	11.4" x 28.0" x 34.7"
TX90-10KB2###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$9,449.00	(20) 9AH	Terminal block	(2) Configurable 120V outputs* + (4) 5-15/20R	394 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB2###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$10,499.00	(20) 580W	Terminal block	(2) Configurable 120V outputs* + (4) 5-15/20R	404 lbs	11.4" x 28.0" x 34.7"
TX90-10KB3	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$9,449.00	(20) 9AH	Terminal block	(2) L14-30R + (4) 5-15/20R	396 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB3	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$10,499.00	(20) 580W	Terminal block	(2) L14-30R + (4) 5-15/20R	406 lbs	11.4" x 28.0" x 34.7"
TX90-10KB4###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$9,449.00	(20) 9AH	Terminal block	(2) Configurable 240V outputs* + (2) L6-30R	396 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB4###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$10,499.00	(20) 580W	Terminal block	(2) Configurable 240V outputs* + (2) L6-30R	406 lbs	11.4" x 28.0" x 34.7"
TX90-10KB5###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$9,449.00	(20) 9AH	Terminal block	(2) Configurable 208V outputs* + (4) 5-15/20R	394 lbs	11.4" x 28.0" x 34.7"
TX90-10KXRB5###	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$10,499.00	(20) 580W	Terminal block	(2) Configurable 208V outputs* + (4) 5-15/20R	404 lbs	11.4" x 28.0" x 34.7"
TX90-10KB6#####	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$9,749.00	(20) 9AH	Terminal block	(4) Configurable 240V outputs* + (8) 5-15/20R	396 lbs	11.4" x 30.0" x 34.7"
TX90-10KXRB6#####	Bundle	10kVA/9kW Tower UPS with Isolation Transformer	\$10,799.00	(20) 580W	Terminal block	(4) Configurable 240V outputs* + (8) 5-15/20R	410 lbs	11.4" x 30.0" x 34.7"

*Replace the "###" in the model number with two of the letters shown below. Each configurable output is protected by a 20A breaker.

240V/208V: A. L6-15R; B. L6-20R; C. L6-30R; D. 6-15/20R; 120V: K. L5-15R; L. L5-20R; M. L5-30R; N. 5-15/20R

For optional voltage configurations add \$300 list (PN:T9VCNFG, see below)

Custom Voltage Configurations

Model	Part Number	Description	List Price
T9VCNFG	90000375	Preconfigure TX90 Transformer and Electronics for Custom Voltage Configuration, Input:Output Voltages Available: 240V:240/120V, 230V:230/115V, 220V:220/110V, 200V:200/100V	\$300.00

TX90 Battery and Charger Options

Battery packs not for use with "XR" models.

Model	Part Number	Description	List Price	Shipping Weight	Unit Dimensions (W x D x H)
T90-EBP920	90000245	Extended Battery Pack for TX90-6K, TX90-10K with (20) 12V 9AH Batteries	\$2,400.00	205 lbs	11.4" x 25.4" x 29.5"
T90-EBP940	90000246	Extended Battery Pack for TX90-6K, TX90-10K with (40) 12V 9AH Batteries	\$3,200.00	324 lbs	11.4" x 25.4" x 29.5"
T90-EBP960	90000247	Extended Battery Pack for TX90-6K, TX90-10K with (60) 12V 9AH Batteries	\$4,100.00	446 lbs	11.4" x 25.4" x 29.5"
T90-240CHG	90000324	1000W Charger for use with TX90-6K, TX90-10K	\$675.00	7 lbs	6.6" x 11.1" x 3.4"

TX90 Connectivity

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
SNMP-1PIN	90000261	Internal Web/SNMP Card	\$295.00	1 lbs	7.25" x 6.0" x 2.5"
TX90-RELAY	90000299	Relay Dry Contact Interface Card	\$299.00	1 lbs	7.25" x 6.0" x 2.5"
TX90-PK	90000611	Parallel Kit	\$199.00	1 lbs	7.25" x 6.0" x 2.5"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Power Distribution Units

Model	Part Number	Description	List Price	Input Power Cord	Outlets	Unit Weight	Unit Dimensions (W x D x H)
XPD31	90000251	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Rack PDU	\$299.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C14	6.0 lbs	19.0" x 2.4" x 3.5"
XPD34	90000254	30A 240/120V 2U 19" Basic Rack PDU	\$469.00	L14-30P, 6ft	(2) L6-30R + (4) L6-20R + (12) 5-20R	9.5 lbs	19.0" x 4.7" x 3.5"

TX90 Startup/Service Plans (USA and Canada)

On-site service within 100 miles of an Xtreme Power Service Technician. Contact inside sales for locations exceeding 100 miles.

Model	Part Number	Description	List Price
T9OS3610	90000336	On-site 3 Year Service Plan for TX90-6K(XR), TX90-10K(XR)	\$2,600.00
T9OS5610	90000337	On-site 5 Year Service Plan for TX90-6K(XR), TX90-10K(XR)	\$5,900.00
T9SP610	90000453	Extended 5 Year Factory Warranty for TX90-6K(XR), TX90-10K(XR)	\$1,500.00
T9SU58610	90000338	Startup 5 x 8 for first TX90-6K(XR), TX90-10K(XR)	\$1,800.00
T9SU58AD	90000339	Startup 5 x 8 for each additional TX90-6K(XR), TX90-10K(XR)	\$900.00
T9PM610	90000340	Preventative Maintenance visit for first TX90-6K(XR), TX90-10K(XR)	\$1,800.00
T9PMAD	90000341	Preventative Maintenance visit for each additional TX90-6K(XR), TX90-10K(XR)	\$900.00
T9OS3920	90000342	On-site 3 Year Service Plan for T90-EBP920	\$400.00
T9OS5920	90000343	On-site 5 Year Service Plan for T90-EBP920	\$950.00
T9SPBP2	90000454	Extended 5 Year Factory Warranty for T90-EBP920	\$700.00
T9OS3940	90000344	On-site 3 Year Service Plan for T90-EBP940	\$550.00
T9OS5940	90000345	On-site 5 Year Service Plan for T90-EBP940	\$1,250.00
T9SPBP4	90000455	Extended 5 Year Factory Warranty for T90-EBP940	\$1,000.00
T9OS3960	90000346	On-site 3 Year Service Plan for T90-EBP960	\$700.00
T9OS5960	90000347	On-site 5 Year Service Plan for T90-EBP960	\$1,500.00
T9SPBP6	90000456	Extended 5 Year Factory Warranty for T90-EBP960	\$1,300.00

Standard 3 Year Factory Warranty – 3 years electronics/battery. Telephone technical support. Depot exchange. Ground shipment one way.

On-site 3 Year Service Plan – 3 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

Extended 5 Year Factory Warranty – 5 year electronics/battery. Telephone technical support. Advanced exchange. Pricing is limited to the continental USA. Ground shipment both ways.

On-site 5 Year Service Plan – 5 year on-site service. On-site startup. On-site corrective maintenance. Services performed 5 x 8.

TX90 Battery Runtimes

Runtimes are shown in minutes and will vary based on battery condition, age, cycles, and ambient temperature.

Models	Internal Batteries		EBP920		EBP940		EBP960		(2) EBP940		(2) EBP960		(3) EBP960		(4) EBP960	
	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
Percentage load:	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%	50%	100%
TX90-6K	21	7	61	25	102	42	145	60	192	80	293	121	457	190	634	263
TX90-6KXR	33	14	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
TX90-10K	13	4	32	13	54	22	77	32	102	42	155	64	241	100	335	139
TX90-10KXR	18	7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

1. For extended runtimes and detailed requirements, see www.xpcc.com/selector

2. Optional 1000W charger recommended for applications requiring three or more battery packs

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Ultra-Slim Surge PDU

Protect digital signage from spikes and surges with ultra-slim J40 surge PDU

- › Slim and light weight J40 mounts easily behind flat panel displays
- › Primary applications: digital signage, kiosks, gaming machines, and Point of Sale (POS)
- › MOV over voltage and over temperature protection
- › Power reset button to allow manual cycling of power on J40 and J40SP
- › Remote power switch provides remote reset on/off, and scheduling on J40S and J40SP
- › Easily mounts to wall or ceiling in any orientation
- › Optional detachable offset, right angle 5–15P power cord provides flexible installation
- › 3 year full warranty (USA and Canada)



J40 Series

Model	Part Number	Description	List Price	Input	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
J40	90000463	10A 120V Surge PDU	\$155.00	IEC C14 inlet	(3) 5–15R	2.0 lbs	8.07" x 3.35" x 1.22"
J40S	90000464	10A 120V Surge PDU with RJ45 and Switched Receptacles	\$275.00	IEC C14 inlet	(3) 5–15R	3.25 lbs	8.07" x 7.28" x 1.22"
J40SP	90000466	10A 120V Surge PDU with Switched Receptacles and Ethernet Switch	\$319.00	IEC C14 inlet	(3) 5–15R	3.75 lbs	8.07" x 7.87" x 1.22"

J40 Input Cords

Model	Description	List Price	Unit Weight
XPC-515P-18RA	18in line cord with offset, right angle 5–15P	\$20.00	0.5 lbs
XPC-515P-6RA	6ft line cord with offset, right angle 5–15P	\$20.00	0.5 lbs

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Bypass Distribution Module

Repair or replace your UPS without power interruption by manually transferring critical loads from UPS power to utility power using the XBDM

The following features apply to all XBDM except XBDM-MINI

- › Available in: 15A, 20A, and 30A models
- › Simplifies UPS repair or replacement and reduces costly downtime
- › Easy cord connection to UPS
- › Offers surge protection during UPS and utility mode
- › Bypass switch provides transfer within 4–8ms
- › Supports horizontal 1U rack mount and vertical rack mount installation
- › UPS and utility power are connected to the XBDM with the supplied cords



XBDM Series

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-1015LV	90000090	Bypass Distribution Module 15A/120VAC	\$259.00	5–15P, 12ft	(6) 5–15R front (4) 5–15R back	5–15R	3.5 lbs	19.3" x 3.5" x 1.75"
XBDM-1020LV	90000091	Bypass Distribution Module 20A/120VAC	\$299.00	5-20P, 12ft	(6) 5–20R front (4) 5–20R back	5–20R	3.5 lbs	19.3" x 3.5" x 1.75"
XBDM-1030LV	90000093	Bypass Distribution Module 30A/120VAC	\$469.00	L5–30P, 6ft	(5) 5–20R front (5) 5–20R back	L5–30R	3.5 lbs	19.3" x 3.5" x 1.75"
XBDM1020HV1	90000095	Bypass Distribution Module 1U/0U with 16A Capacity (Includes IEC C20 C13 Cord Kit)	\$299.00	IEC C20 inlet	(2) IEC C19 + (4) IEC C13 front (4) IEC C13 back	IEC C20	3.5 lbs	19.3" x 3.5" x 1.75"
XBDM1020HV2	90000094	Bypass Distribution Module 1U/0U with 16A Capacity (Includes (2) IEC C20 C19 Cord Kit)	\$299.00	IEC C20 inlet	(2) IEC C19 + (4) IEC C13 front (4) IEC C13 back	IEC C20	3.5 lbs	19.3" x 3.5" x 1.75"
XBDM-MINI	90000948	Mini Bypass Distribution Module	\$160.00	(2) 5–15P, 2ft	(1) 5–15R, 2ft	N/A	2 lbs	3.0" x 4.0" x 1.75"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Bypass Distribution Module

XBDM HW provides UPS maintenance bypass with input and output hardwired terminal block connections

- › Available in: 15A, 20A, 30A, and 63A models
- › Simplifies UPS repair or replacement and reduces costly downtimes
- › Hardwired input and output with easy cord connection to UPS
- › Bypass switch provides transfer within 8ms
- › 63A model provides make before break transfer and interlock UPS for static switch
- › Wall and rack mounting hardware include



XBDM HW Series

Model	Part Number	Description	List Price	Utility Input	Output Connections	UPS Connections	Unit Weight	Unit Dimensions (W x D x H)
XBDM-15RHW	90000949	15A/120VAC Bypass Distribution Module	\$299.00	Hardwire terminal block	Hardwire terminal block + (6) 5-15R	5-15P 5-20R	4 lbs	17" x 3.5" x 1.75"
XBDM-20RHW	90000950	20A/120VAC Bypass Distribution Module	\$299.00	Hardwire terminal block	Hardwire terminal block + (6) 5-15R	5-20P 5-20R	4 lbs	17" x 3.5" x 1.75"
XBDM-HW30	90000947	30A/120VAC Bypass Distribution Module	\$499.00	Hardwire or optional L5-30P cable kit	Hardwire terminal block or optional L5-30R cable kit	L5-30P L5-30R	7.3 lbs	17.3" x 5.3" x 3.5"
XBDM-HW63	90000934	63A/230VAC Bypass Distribution Module	\$450.00	Hardwire or optional cable kit	Hardwire terminal block	Hardwire or optional cable kit	7.1 lbs	17.3" x 5.3" x 3.5"

*Optional cable kit pricing available up request

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Power Distribution Unit

Rack power distribution solutions designed to meet the needs of any data center or wiring closet

- › On/off control of individual receptacles
- › Total power monitoring software
- › User defined alarm thresholds and event alerts
- › Branch circuit protection
- › Rack, tower, or wall mount
- › UL, cUL, FCC, CE (varies by model)
- › 3 year full warranty (USA and Canada)



XPDU Series

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
Switched PDU							
XPD0815SL	90000071	15A 120V 1U 19" Switched Rack PDU	\$489.00	5-15P, 10ft	(8) 5-15/20R	4.4 lbs	19.0" x 3.75" x 1.75"
SPD-0215	90000460	15A 120V Switched PDU	\$339.00	IEC C14 inlet	(2) 5-15R	2.0 lbs	5.4" x 6.0" x 2.5"
Transformer PDU							
XPD-IT60A	90000407	6kVA Transformer PDU 208V to 120V	\$1,369.00	L6-30P, 3ft	(12) 5-15/20R	137 lbs	19.0" x 18.0" x 3.5"
XPD-AT15A	90000199	1500W Transformer PDU 208V to 120V	\$479.00	Detachable IEC C14, 3ft	(16) 5-15R	19.7 lbs	19.0" x 10.5" x 3.5"
Basic PDU – 15A & 20A Models							
XPD815HV	90000040	15A 120V 1U 19" Basic Rack PDU	\$63.00	5-15P, 12ft	(8) 5-15R	2.6 lbs	19.0" x 3.5" x 1.75"
XPD1020HV*	90000044	20A 120V 1U 19" Basic Rack PDU	\$94.50	L5-20P, 12ft**	(10) 5-15/20R	4.6 lbs	19.0" x 3.5" x 1.75"
XPD1415HV	90000041	15A 120V 1U 19" Basic Rack PDU	\$71.50	5-15P, 12ft	(14) 5-15R	3.5 lbs	19.0" x 3.5" x 1.75"
XPD1420HV	90000045	20A 120V 1U 19" Basic Rack PDU	\$105.00	L5-20P, 12ft**	(14) 5-15/20R	4.8 lbs	19.0" x 3.5" x 1.75"
XPD2415V60*	90000043	15A 120V Basic PDU	\$116.00	5-15P, 12ft	(24) 5-15R	4.0 lbs	60.0" x 1.5" x 1.5"
XPD2420V60*	90000046	20A 120V Basic PDU	\$154.00	L5-20P, 12ft**	(24) 5-15/20R	5.6 lbs	60.0" x 1.5" x 1.5"
XPDU-IEC	90000053	15/20A 230V 1U 19" Basic Rack PDU	\$139.00	IEC C20 inlet	(10) IEC C13 + (2) IEC C19	2.6 lbs	19.0" x 3.5" x 1.75"
Basic PDU – 30A & 50A Models							
XPD24C13V	90000374	30A 208V Basic PDU	\$249.00	L6-30P, 6ft	(24) C13	12.0 lbs	66.0" x 1.75" x 1.75"
XPD31	90000251	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (2) L6-20R + (4) 6-15/20R	9.0 lbs	19.0" x 4.7" x 3.5"
XPD32	90000252	30A 240V 2U 19" Basic Rack PDU	\$389.00	L6-30P, 6ft	(2) L6-30R + (4) L6-20R	7.5 lbs	19.0" x 2.4" x 3.5"
XPD33	90000253	30A 240V 2U 19" Basic Rack PDU	\$299.00	L6-30P, 6ft	(4) IEC C19 + (8) IEC C13	6.0 lbs	19.0" x 2.4" x 3.5"
XPD34	90000254	30A 240/120V 2U 19" Basic Rack PDU	\$469.00	L14-30P, 6ft	(2) L6-30R + (4) L6-20R + (12) 5-15/20R	9.5 lbs	19.0" x 4.7" x 3.5"
XPD35	90000255	50A 240V 2U 19" Basic Rack PDU	\$389.00	Pigtail 2W+G	(2) L6-30R + (4) L6-20R	7.0 lbs	19.0" x 2.4" x 3.5"
XPD36	90000256	50A 240V 2U 19" Basic Rack PDU	\$299.00	Pigtail 2W+G	(4) IEC C19 + (8) IEC C13	6.8 lbs	19.0" x 2.4" x 3.5"
XPD37	90000257	50A 240/120V 2U 19" Basic Rack PDU	\$469.00	Pigtail 3W+G	(2) L6-30R + (4) L6-20R + (12) 5-15/20R	10.0 lbs	19.0" x 4.7" x 3.5"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

XPDU Series

Model	Part Number	Description	List Price	Input Power Cord	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
Surge PDU							
XPDS1020HV*	90000049	20A 120V 1U 19" Surge Rack PDU	\$104.00	L5-20P, 12ft**	(10) 5-15/20R	4.6 lbs	19.0" x 3.5" x 1.75"
Metered PDU							
XPD2420VA60*	90000047	20A 120V Metered PDU	\$232.00	L5-20P, 12ft**	(24) 5-15/20R	5.6 lbs	60.0" x 1.5" x 1.5"
Value PDU							
XPD1215HVPL*	90000051	15A 120V 1U 19" Value Rack PDU	\$38.00	5-15P, 6ft	(12) 5-15R	1.4 lbs	19.0" x 3.5" x 1.75"
XPS1215HVP	90000052	15A 120V 1U 19" Value Rack PDU	\$41.50	5-15P, 6ft	(12) 5-15R	1.4 lbs	19.0" x 3.5" x 1.75"

*These models are discontinued. Stock is available, but in limited quantities.

**Ships with an L5-20R to 5-20P adapter

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Switched PDU

Rack power distribution solutions designed to meet the needs of any data center or wiring closet

- › Local and remote current checking and display
- › Event timers / clock for each power outlet
- › RS232, IE, telnet, SNMP access for users to easily view or change settings
- › DHCP or static IP configure
- › Current alarm by locale, email, trap methods
- › Integrated SNMP agent/Trap notification message capability
- › 2 year warranty (USA and Canada)



SPD Series

Model	Part Number	Description	List Price	Input	Output Receptacles	Unit Weight	Unit Dimensions (W x D x H)
SPD-0215	90000460	15A 120V Switched PDU	\$339.00	IEC C14 inlet	(2) 5-15R	4.4 lbs	5.4" x 6.0" x 2.5"
SPD-0815	90000461	15A 120V 1U 19" Switched PDU	\$669.00	IEC C14 inlet	(8) 5-15R	6.8 lbs	19.0" x 7.0" x 1.75"
SPD-1615	90000462	15A 120V 2U 19" Switched PDU	\$859.00	IEC C14 inlet	(16) 5-15R	10.0 lbs	19.0" x 7.0" x 3.5"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Cooling for Critical Electronics

Protect critical electronics from high temperature environments

- › Available models: 13,200 BTU/H, 21,000 BTU/H, 29,000 BTU/H
- › Primary, backup, or after hours cooling
- › Easy to install; heavy duty, commercial grade construction
- › Uses earth friendly R410A refrigerant
- › Primary applications: networks, communications, server rooms
- › Units cool in a broad range of conditions from 64°F to 113°F
- › Two speed fan control programs from digital controller
- › UL 484
- › 1 year warranty (USA and Canada)



XC Series

Model	Part Number	Description	List Price	Input Power Cord	Unit Weight	Unit & Shipping Dimensions (W x D x H)
XC-14A	90000801	120VAC, 13,200BTU/HR Portable Cooling Unit	\$3,680.00	5–15P, 10ft	132 lbs	17.5" x 19.9" x 43.3" 18.5" x 20.8" x 54.9"
XC-22A	90000802	208/230VAC, 21,000 BTU/HR Portable Cooling Unit	\$4,950.00	6–15P, 10ft	198 lbs	22.0" x 24.4" x 50.4" 22.6" x 25.4" x 62"
XC-30A	90000803	208/230VAC, 29,000 BTU/HR Portable Cooling Unit	\$5,475.00	6–20P, 10ft	209 lbs	22.0" x 24.4" x 50.4" 22.6" x 25.4" x 62"

XC Accessories

Model	Part Number	Description	List Price	Unit Weight	Shipping Dimensions (W x D x H)
XC-TILE12	90000821	XC-14A Warm Air Discharge Kit	\$300.00	8 lbs	26.0" x 26.0" x 6.0"
XC-TILE16	90000822	XC-22A, XC-30A Warm Air Discharge Kit	\$380.00	9 lbs	26.0" x 26.0" x 6.0"
XC-PUMP1	90000820	XC-14A Condensate Pump Kit	\$320.00	5 lbs	9.0" x 7.8" x 5.9"
XC-PUMP2	90000823	XC-22A, XC-30A Condensate Pump Kit	\$320.00	5 lbs	9.0" x 7.8" x 5.9"
XC-FL12	90000804	XC-14A Exhaust Flange	\$160.00	9 lbs	14.9" x 12.5" x 14.9"
XC-FL16	90000805	XC-22A, XC-30A Exhaust Flange	\$160.00	11 lbs	19.6" x 12.5" x 19.6"
XC-ADPT1	90000806	XC-14A Condenser Plenum	\$235.00	12 lbs	13.4" x 14.6" x 21.7"
XC-ADPT2	90000807	XC-22A, XC-30A Condenser Plenum	\$255.00	17 lbs	15.0" x 22.4" x 25.2"

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



27142 Burbank • Foothill Ranch, CA 92610
Phone: (949) 472-9050 • Fax: (949) 454-9252

Individual Battery Replacements Only

Model	Original Battery Size	Qty	Replacement Battery Part Number	List Price (each)	List Price (total)	Case Dimensions (W x D x H)	Notes
XST-400	12V 4.5AH	1	HRL1221WF2	TBA	TBA	3.5" x 2.7" x 3.2"	Must open clam shell case to replace battery
XST-600	12V 7AH	1	HRL1234WF2	\$43.00	\$43.00	2.6" x 5.9" x 3.9"	Must open clam shell case to replace battery
XST-800	12V 9AH	1	HRL1234WF2	\$43.00	\$43.00	2.6" x 5.9" x 3.9"	Must open clam shell case to replace battery
S70-500	12V 7AH	1	HRL1234WF2	\$43.00	\$43.00	2.6" x 5.9" x 3.9"	Must open unit to replace battery
S70-700	12V 9AH	1	HRL1234WF2	\$43.00	\$43.00	2.6" x 5.9" x 3.9"	Must open unit to replace battery
S70-1000	12V 7AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
S70-1500	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
S70-2000	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
XVT-600	12V 7AH	1	HRL1234WF2	\$43.00	\$43.00	2.6" x 5.9" x 3.9"	Remove cover on bottom of unit to replace battery
XVT-800	12V 9AH	1	HRL1234WF2	\$43.00	\$43.00	2.6" x 5.9" x 3.9"	Remove cover on bottom of unit to replace battery
XVT-1200	12V 7AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Remove cover on bottom of unit to replace batteries
XVT-1500	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Remove cover on bottom of unit to replace batteries
XVRT-1000	6V 8AH	3	HRL634WF2	\$32.00	\$96.00	1.3" x 5.9" x 3.9"	Must open unit to replace batteries
XVRT-1500	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
XVRT-2200	12V 9AH	4	HRL1234WF2	\$43.00	\$172.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
XVRT-3000	12V 9AH	4	HRL1234WF2	\$43.00	\$172.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
XPRT-1000	12V 7.2AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-1500	12V 7.2AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-2000	12V 7.2AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-3000	12V 7.2AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-BP1	12V 7.2AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-BP2	12V 7.2AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-BP3	12V 7.2AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-1000	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-1500	12V 9AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-2000	12V 9AH	4	HRL1234WF2	\$43.00	\$172.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90g-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-BP36E	12V 9AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
P90-BP36	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-BP48	12V 9AH	8	HRL1234WF2	\$43.00	\$344.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90-BP72	12V 9AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P90L-BP240	12V 9AH	20	HRL1234WF2	\$43.00	\$860.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
NXRT-1000	12V 9AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
NXRT-1500	12V 7.2AH	4	XBAT-7.2AH-90002102	\$65.00	\$260.00	1.9" x 5.5" x 4.6	Batteries in trays: remove tray to replace batteries
NXRT-EBP1	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
NXRT-EBP2	12V 7.2AH	8	XBAT-7.2AH-90002102	\$65.00	\$520.00	1.9" x 5.5" x 4.6	Batteries in trays: remove tray to replace batteries
NXRT-CBP1	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
NXRT-CBP2	12V 7.2AH	8	XBAT-7.2AH-90002102	\$65.00	\$520.00	1.9" x 5.5" x 4.6	Batteries in trays: remove tray to replace batteries
T90-700	12V 7.2AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-1000	12V 7.2AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-1500	12V 9AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90i-1500	12V 9AH	3	HRL1234WF2	\$43.00	\$129.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-2000	12V 7.2AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

Individual Battery Replacements Only

Model	Original Battery Size	Qty	Replacement Battery Part Number	List Price (each)	List Price (total)	Case Dimensions (W x D x H)	Notes
T90-BP	12V 7.2AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-BP1	12V 7.2AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-BP2	12V 7.2AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90-1000	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90i-1000	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90-2000	12V 9AH	4	HRL1234WF2	\$43.00	\$172.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90i-2000	12V 9AH	4	HRL1234WF2	\$43.00	\$172.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90i-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90i-5000	12V 10AH	8	HRL1234WF2	\$43.00	\$344.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-6K	12V 7AH	20	HRL1234WF2	\$43.00	\$860.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-10K	12V 9AH	20	HRL1234WF2	\$43.00	\$860.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90-6K	12V 7AH	20	HRL1234WF2	\$43.00	\$860.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
TX90-10K	12V 9AH	20	HRL1234WF2	\$43.00	\$860.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-EBP920	12V 9AH	20	HRL1234WF2	\$43.00	\$860.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-EBP940	12V 9AH	40	HRL1234WF2	\$43.00	\$1,720.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
T90-EBP960	12V 9AH	60	HRL1234WF2	\$43.00	\$2,580.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
XPRT-6000	12V 8AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-10000	12V 8AH	24	HRL1234WF2	\$43.00	\$1,032.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
XPRT-BP4	12V 8AH	12	HRL1234WF2	\$43.00	\$516.00	2.6" x 5.9" x 3.9"	Must open unit to replace batteries
XPRT-BP5	12V 8AH	24	HRL1234WF2	\$43.00	\$1,032.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
R90-EBP32	12V 7.2AH	32	XBAT-7.2AH-90002102	\$65.00	\$2,080.00	1.9" x 5.5" x 4.6	Must open unit to replace batteries
P80-800	12V 7AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80-1100	12V 9AH	2	HRL1234WF2	\$43.00	\$86.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80-1500	12V 7AH	4	HRL1234WF2	\$43.00	\$172.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80-2200	12V 7AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80G-3000	12V 9AH	6	HRL1234WF2	\$43.00	\$258.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80g-5000	12V 580W	6	UPS12580	\$48.00	\$288.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries
P80-BP72X	12V 580W	12	UPS12580	\$48.00	\$576.00	2.6" x 5.9" x 3.9"	Batteries in trays: remove tray to replace batteries

Internal Battery Trays With Batteries Installed

Model	Original Battery Size	Qty	Replacement Battery Part Number	List Price (each)	List Price (total)	Case Dimensions (W x D x H)	Notes
P90-1000	12V 9AH	1	P90-BAT1-90000370	\$139.00	\$139.00	6.5" x 8.0" x 2.6"	Tray replacement only: 1 tray required
P90-1500	12V 9AH	1	P90-BAT2-90000371	\$199.00	\$199.00	8.5" x 12.6" x 2.6"	Tray replacement only: 1 tray required
P90-2000	12V 9AH	1	P90-BAT3-90000372	\$269.00	\$269.00	8.5" x 12.6" x 2.6"	Tray replacement only: 1 tray required
P90-3000	12V 9AH	1	P90-BAT4-90000373	\$399.00	\$399.00	8.5" x 18.5" x 2.6"	Tray replacement only: 1 tray required
P90g-3000	12V 9AH	1	P90-BAT4-90000373	\$399.00	\$299.00	8.5" x 18.5" x 2.6"	Tray replacement only: 1 tray required
P90-BP36	12V 9AH	2	P90-BAT2-90000371	\$199.00	\$398.00	8.5" x 12.6" x 2.6"	Tray replacement only: 2 trays required
P90-BP48	12V 9AH	2	P90-BAT3-90000372	\$269.00	\$538.00	8.5" x 12.6" x 2.6"	Tray replacement only: 2 trays required
P90-BP72	12V 9AH	2	P90-BAT4-90000373	\$399.00	\$798.00	8.5" x 18.5" x 2.6"	Tray replacement only: 2 trays required
NXRT-1000	12V 9AH	1	NXRT-BAT1-90000062	\$299.00	\$299.00	7.0" x 15.4" x 3.2"	Tray replacement only: 1 tray required
NXRT-1500	12V 7.2AH	1	NXRT-BAT2-90000063	\$329.00	\$329.00	5.8" x 21.9" x 3.3"	Tray replacement only: 1 tray required
NXRT-2000	12V 7.2AH	1	NXRT-PBAT3-900000596	\$619.00	\$619.00	6.4" x 18.9" x 5.2"	Tray replacement only: 1 tray required
NXRT-3000	12V 7.2AH	1	NXRT-PBAT3-900000596	\$619.00	\$619.00	6.4" x 18.9" x 5.2"	Tray replacement only: 1 tray required
NXRT-EBP1	12V 9AH	2	NXRT-BAT1-90000062	\$299.00	\$598.00	7.0" x 15.4" x 3.2"	Tray replacement only: 2 trays required
NXRT-EBP2	12V 7.2AH	2	NXRT-BAT2-90000063	\$329.00	\$658.00	5.8" x 21.9" x 3.3"	Tray replacement only: 2 trays required
NXRT-EBP3	12V 7.2AH	2	NXRT-PBAT4-900000597	\$619.00	\$1,238.00	6.4" x 18.9" x 5.2"	Tray replacement only: 2 trays required
NXRT-CBP1	12V 9AH	2	NXRT-BAT1-90000062	\$299.00	\$598.00	7.0" x 15.4" x 3.2"	Tray replacement only: 2 trays required
NXRT-CBP2	12V 7.2AH	2	NXRT-BAT2-90000063	\$329.00	\$658.00	5.8" x 21.9" x 3.3"	Tray replacement only: 2 trays required
NXRT-CBP3	12V 7.2AH	2	NXRT-PBAT4	\$619.00	\$1,238.00	6.4" x 18.9" x 5.2"	Tray replacement only: 2 trays required

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.

T90-6K	12V 7AH	5	T90-BAT-90000368	\$350.00	\$1,750.00	4.3" x 10.5" x 6.0"	Tray replacement only: 5 trays required
T90-10K	12V 9AH	5	T90-BAT-90000368	\$350.00	\$1,750.00	4.3" x 10.5" x 6.0"	Tray replacement only: 5 trays required
TX90-6K	12V 7AH	5	T90-BAT-90000368	\$350.00	\$1,750.00	4.3" x 10.5" x 6.0"	Tray replacement only: 5 trays required
TX90-10K	12V 9AH	5	T90-BAT-90000368	\$350.00	\$1,750.00	4.3" x 10.5" x 6.0"	Tray replacement only: 5 trays required
XPRT-6000	12V 8AH	1	XPRT-6BAT-90000017	\$810.00	\$810.00	13.4" x 27.1" x 13.6"	Tray replacement only: 1 tray required
XPRT-10000	12V 8AH	2	XPRT-10BAT-90000018	\$1000.00	\$2,000.00	11.0" x 24.0" x 15.4"	Tray replacement only: 2 trays required
XPRT-BP5	12V 8AH	2	XPRT-10BAT-90000018	\$1000.00	\$2,000.00	11.0" x 24.0" x 15.4"	Tray replacement only: 2 trays required
P80-800	12V 7AH	1	P80-BAT1- 90000473	\$139.00	\$139.00	6.5" x 8.0" x 2.6"	Tray replacement only: 1 tray required
P80-1100	12V 9AH	1	P80-BAT1- 90000473	\$139.00	\$139.00	6.5" x 8.0" x 2.6"	Tray replacement only: 1 tray required
P80-1500	12V 7AH	1	P80-BAT2- 90000474	\$269.00	\$269.00	8.5" x 12.6" x 2.6"	Tray replacement only: 1 tray required
P80-2200	12V 7AH	1	P80-BAT3- 90000475	\$399.00	\$399.00	8.5" x 18.5" x 2.6"	Tray replacement only: 1 tray required
P80-3000	12V 9AH	1	P80-BAT3- 90000475	\$399.00	\$399.00	8.5" x 18.5" x 2.6"	Tray replacement only: 1 tray required
P80G-3000	12V 9AH	1	P80-BAT3- 90000475	\$399.00	\$399.00	8.5" x 18.5" x 2.6"	Tray replacement only: 1 tray required
P80g-5000	12V 580W	1	P80-BAT4- 90000476	\$459.00	\$459.00	8.5" x 18.5" x 2.6"	Tray replacement only: 1 tray required
P80-BP72X	12V 580W	2	P80-BAT4- 90000476	\$459.00	\$918.00	8.5" x 18.5" x 2.6"	Tray replacement only: 2 tray required
J60-BAT	2400mAh	1	J60-BAT1- 90000549	\$165.00	\$165.00	2.75" x 6.0" x 1.0"	Must open unit to replace batteries

Please submit an RFQ or call CTrends @ 1-877-472-9050 for the latest pricing.



CTrends[®]
Supply Chain Specialists

27142 Burbank
Foothill Ranch, CA 92610